

العرش لتجارة الكهرباءيات ذ.م.م.
AL ARSH ELECTRICALS TR. LLC

MANUFACTURER & SUPPLIES



PRODUCT CATALOGUE

*"Innovative Electrical Solutions for
Every Need"*

AM13
Born to Dominate



**ARSH
FLEX**

PRECISION
Pipes & Fittings



www.alarshelctricals.com



العرش لتجارة الكهرباءيات ذ.م.م.

AL ARSH ELECTRICALS TR. LLC.

MANUFACTURER & SUPPLIES

ABOUT US

Empowering Growth Through Innovative Electrical Products

At Al-Arsh Electricals, we believe in blending creativity with technology to deliver solutions that truly make a difference. What started as a simple idea has grown into a passionate team dedicated to helping businesses, creators, and individuals unlock their full potential through innovative design and digital solutions.

Our Mission

To empower businesses and individuals with solutions that are simple, impactful, and future-focused.

Our Vision

To become a trusted global partner in creativity and innovation, while keeping people and purpose at the heart of everything we do.



+97168052756



Info@alarselectricals.com



www.alarselectricals.com



INDEX

COMMERCIAL LICENSE.....	4
ISO CERTIFICATE.....	4
TRADE MARK CERTIFICATE.....	4
ACCEPTANCE LETTER	4
AM3	6-42
ARSH FLEX	43-45
ARSH POWER	46-57
PRECISION	58-69





شهادة تسجيل لضريبة القيمة المضافة في الامارات العربية المتحدة
Certificate of Registration for Value Added Tax in the United Arab Emirates

The Federal Tax Authority certifies that the entity below is a registered person for Value Added Tax in the UAE. **تؤكد الهيئة الاتحادية للضرائب أن الجهة التالية مسجلة لضريبة القيمة المضافة في الامارات العربية المتحدة**

Full Arabic legal name: **الارش التجارية الكهربائية ذ.م.ك**
Full English legal name: **ALARSH ELECTRICALS TRADING L.L.C**
Registered address: **SHOP NO - 49, SPECTEX CENTER, GHURAFAS AL QUSAYS INDUSTRIAL AREA 4, DUBAI, Dubai, United Arab Emirates, O. +97142547778**
Tax Registration Number: **100613156700003**
Effective Registration Date: **01/02/2021**
First VAT Return Period: **01 Feb 2021 - 30 Apr 2021 and quarterly thereafter**
VAT Return due date: **30 May 2021**

Start and end dates of Tax periods: 1 Feb to 30 Apr, 1 May to 31 July, 1 Aug to 31 Oct, 1 Nov to 31 Jan

يرجى التأكد من صحة تفاصيل الشهادة بحق إبلاغ الهيئة الاتحادية للضرائب في حال تغير الالاسس التي حصلت فيها على رقم التسجيل الضريبي الخاص بك.
Please check that the details on this certificate are correct. You must inform the Federal Tax Authority of any change on the basis of which you obtained your Tax Registration Number.



Issuing Date: **01/02/2021** تاريخ الإصدار



رخصة تجارية
Commercial License

رقم الرخصة / License No.		918647	
اسم الشركة / Company Name	AL ARSH ELECTRICALS TRADING L.L.C	اسم الرخصة / License Name	العرض لتجارة الكهروضائيات ذ.م.ك
اسم التجاري / Business Name	ALARSH ELECTRICALS TRADING L.L.C	اسم الرخصة / License Name	العرض لتجارة الكهروضائيات ذ.م.ك
License Category	Dept. of Economic Development	نطاق التغطية الاقتصادية / Economic Coverage	ذات مسؤولية محدودة
Legal Type	Limited Liability Company (LLC)	نوع التغطية الاقتصادية / Economic Coverage	ذات مسؤولية محدودة
Expiry Date	26/11/2025	تاريخ الانتهاء / Expiry Date	26/11/2025
DOB D-U-N-S * No		رقم الرخصة الامم / Main License No.	918647
Register No.	1536647	رقم التسجيل التجاري / Register No.	346056

اسماء الاعضاء / License Members		الجنسية / Nationality		الوظيفة / Role		نسبة الحصة / Share	
اسم / Name	ASRAF CHHINTAR CHETA CHETA	الجنسية / Nationality	الهند / India	الوظيفة / Role	مدير / Manager	نسبة الحصة / Share	1444864
اسم / Name	MAHABOOB ALI KHAN DALAZAK	الجنسية / Nationality	الهند / India	الوظيفة / Role	مدير / Manager	نسبة الحصة / Share	931890

نشاط الرخصة التجارية / License Activities
Light fittings & fixtures trading
Building & construction materials trading
العنوان / Address
Phone No: 971-04-2547778
Fax No: 971-56-6447778
Mobile No: 971-56-6447778
P.O. Box: 118-871
Parcel ID: arshelectricals2020@gmail.com
رقم المنطقة / Area No: 971-56-6447778
البريد الإلكتروني / Email: arshelectricals2020@gmail.com
دورة - تلف - هاتف: ملك عبد العزيز عبدالله جعفر الزرعول G35 محل رقم

Print Date: 18/11/2024 2045 تاريخ الطباعة
Receipt No. يمكن ان تمديد رخصتك التجارية من خلال ارسال النسخة القميرية لامل رقم الرخصة الى 0969 (دو) (السات) للمصيل على ان الدفع
Now you can renew your trade license by sending a text message (SMS). Send your trade license number to 0969 (DUBAI).
Get FREE access to Zoho One for the first year
املحظ ان رخصتك تجاريه ستمدد تلقائيا لمدة سنة واحدة مجاناً
Date: 18/11/2024

UNITED ARAB EMIRATES
MINISTRY OF ECONOMY & TOURISM
الإمارات العربية المتحدة
وزارة الاقتصاد والسياحة

تاريخ: 21/07/2020

قرار قبول

السيد / السادة: العرض لتجارة الكهروضائيات ذ.م.ك
المحترم / المحترمتين:

تحيّة خيبة ومودة

بالإشارة إلى طلبكم المودع بالرقم: 400516 بتاريخ: 2020/07/14
لتسجيل العلامة التجارية AM3 رقم: 11

نرحبكم عندما يأتى نتيجة قبول طلبكم المشترك اليه دون شرط .

من ثم يمين عليكم سداد رسم النشر البالغ قدره (٧٥٠) درهم خلال (٣٠) يوم من تاريخ هذا الإخطار ونفصلكم معجل
لسنة ٢٠٢٠، على أن يتم الإعلان في النشرة الرسمية للعلامات التجارية من خلال إدارة العلامات التجارية وفي جريدتين معجل
عن طريق مقسم القلم وعلى نفقتهم (٣٠) يوم من تاريخ سداد رسم النشر والاعتبار القلم لا غيراً

أيتمين عليكم سداد رسم التسجيل البالغ (٥٠٠٠) درهم خلال (٣٠) يوم من تاريخ انتهاء مدة المعارضة ففقط لتجديد مصلح
لسنة (٢٠) والمعددة ب (٣٠) يوم من تاريخ آخر إعلان طلبكم (١٤) من القنون الاتحادي رقم (٣٦) لسنة ٢٠٢٠ بدأ
العلامات التجارية وتمنياته.

وسوف يترتب على تجاوز أي من المدة المعددة أعلاه دفع رسوم غرامة تأخير كالتالي:

(رسوم غرامة تأخير عن سداد رسم نشر علامة تجارية ١ (١٠٠) درهم وبعد أقصى (١٠٠٠) درهم سنوياً وحسب جزء
(رسوم غرامة تأخير عن سداد رسم تسجيل علامة تجارية ٢ (١٠٠٠) درهم وبعد أقصى (١٠٠٠٠) درهم سنوياً وحسب
وتفضلوا بقبول وافر الاحترام

إدارة العلامات التجارية والمعد
أمنة اتعاني

AM3

دائرة التنمية الاقتصادية
DEPARTMENT OF ECONOMIC DEVELOPMENT

رخصة أبوظبي الاقتصادية
Abu Dhabi Economic Licence

تفاصيل الرخصة

نوع الرخصة	تجارية
فترة الرخصة	فروع
رقم الرخصة	CN-5957560
رقم التسجيل الموحد	101-2025-200051359
رقم الرخصة الموحد	501-2025-200033586
تاريخ التأسيس	19/06/2025
تاريخ الإصدار	19/06/2025
تاريخ الانتهاء	18/06/2026
النقل القانوني	فروع امتزاجية - دبي
الاسم التجاري	العرض لتجارة الكهروضائيات ذ.م.ك - فرع أبو ظبي

المفكرة والممثلين

الاسم / Name	الجنسية / Nationality
مسحوب على خان طارق MAHABOOB ALI KHAN DALAZAK	الهند / India
أقرف شيئا شينتا شيئا ASRAF CHITA CHHINTAR CHITA	الهند / India
ابراهيم محمد خميس محمد الفردان IBRAHIM MOHAMED KHAMIS MOHAMED ALBARDAN	الإمارات العربية المتحدة / United Arab Emirates
أقرف شيئا شينتا شيئا ASRAF CHITA CHHINTAR CHITA	الهند / India
أقرف شيئا شينتا شيئا ASRAF CHITA CHHINTAR CHITA	الهند / India

الإلحظة المرخصة

بيع مواد البناء - بالمقارنة	4752034
تجارة أدوات الآلة والادوات - بالمقارنة	4649004

العنوان

العنوان الإلكتروني الرسمي: asrafcheeta024@gmail.com
رقم التواصل الرسمي: 971561287551
العنوان: مجمع مصلح 13، 0 - ٣ - مبنى عمر محمد خيبروس



QUALITY IS OUR PRIORITY

PANEL INDICATOR LAMP

- AM3 -22DS 12V AC/DC R,Y,B,G
- AM3 -22DS 24V AC /DC R,Y,B,G
- AM3-22DS 220V AC/DC R,Y,B,G,W
- AM3 - 16DS 12V AC/DC R,Y,B,G
- AM3 -16DS 24V AC/DC R,Y,B,G
- AM3 -16DS 220V AQC/DC R,Y,B,G,



PANEL INDICATOR LAMP - INFUSE

- AM3 -22DS 220V AC/DC R Y B G W



PANEL INDICATOR LAMP 12-450V

- AM3 -22DS 12 -450V AC R Y B G W



PUSH BUTTON WITH NEON EB2M

- AM3 -MOMENTARY
- AM3 -LATCHING



PUSH BUTTON SWITCHES

- AM3 -BA31 GREEN
- AM3 -BA42 RED
- AM3 -BA61 BLUE
- AM3 - BA21 BLACK
- AM3 - BA3351 BLACK WITH ARROW



PANEL BUZZER WITH INDICATOR

- AM3 -22MSD 24V AC/DC
- AM3 -22MSD 220V AC/DC






QUALITY IS OUR PRIORITY

AXIAL FAN

- AM3-60X60X25
- AM3 -80X80X25
- AM3 - 92X92X25
- AM3 - 120X120X25
- AM3 - 120X120X38
- AM3 - 150X 150X51
- AM3 - 172X150X51
- AM3 - 200X200X60



ROCKER SWITCHES

- AM3 -201-01 WITH NEON (4)PIN RED, GREEN
- AM3 -202-01 WITH NEON (6)PIN RED ,GREEN
- AM3 -0111-21 WITH NEON (4)PIN RED, GREEN
- AM3 -201-01 WITHOUT NEON(4)PIN BLACK
- AM3 -203-01 WITHOUT NEON (6) PIN BLACK



30A

ROCKER SWITCHES

- AM3-103-01 WITH OUT NEON (3)PIN BLACK
- AM3-101-01 WITH NEON (3)PIN RED ,GREEN
- AM3-101-05 WITH NEON (3)PIN RED, GREEN
- AM3-102-05 WITHOUT NEON(3)PIN BLACK



ROCKER SWITCHES

- AM3-101-05 WITH NEON (3)PIN RED, GREEN
- AM3-102-05 WITHOU22T NEON (3)PIN BLACK
- AM3-101N-9 (3)PIN 220V RED, GREEN
- AM3-101N-9 WITHOUT NEON(3)PIN 220V BLACK



AXIAL FAN FILTER

- AM3- 80X80
- AM3-92X92
- AM3-120X120
- AM3-150X150
- AM3-200X200
- AM3-92X92
- AM3-120X120
- AM3-150X150



GRILL FOR AXIAL FAN

- AM3-80X80
- AM3-92X92
- AM3-120X120
- AM3- 150X150
- AM3- 172X150
- AM3-200X200



QUALITY IS OUR PRIORITY

CONTACT ELEMENT

- AM3-BE101 NO GREEN
- AM3- BE102 NC RED



POWER SWITCH

- AM3-BS 211B
- AM3 - BS 216B
- AM3-BS230B



SELECTOR SWITCH

- AM3-BD21 ON OFF
- AM3-BD33 ON-OFF-ON
- AM3 -BD41 ON -OFF SPRING RETURN
- AM3 - BD53 ON-OFF-ON SPRING RETURN



PUSH BUTTON SWITCH WITH BOX

- AM3-B211H29-2 PUSH BUTTON
- AM3-B334-3 PUSH BUTTON



EMERGENCY PUSH BUTTON WITH BOX

- AM3-J174H29
- AM3-J188H29



EMERGENCY PUSH BUTTON

- AM3-BS542 40 MM DIA
- AM3-BS142 40MM DIA WITH KEY





QUALITY IS OUR PRIORITY

CONTROL BOX

- AM3 -BE01 YELLOW
- AM3 -BE02 WHITE
- AM3 -BE03 WHITE



CONTROL ELEMENT FOR EB2MT

- AM3 - NO GREEN
- AM3 - NC RED



UNDERVOLTAGE RELAY

- AM3-UVR-1PH
- AM3-UVR -3PH



WEATHERPROOF ISOLATION SWITCH

- AM3-LY-SS WATERPROOF ISOLATE SWITCH 13A 250 V



FIRE BELL

- AM3- 4"-100MM
- AM3-6"-150MM
- AM3-8"-200MM

220V 24V 12V



MINI SIREN

- AM3- MS-190
- AM3-MS-290
- AM3-MS-390

220V 110V 24V 12V



QUALITY IS OUR PRIORITY

SMOKE DETECTOR




ROTARY SWITCH - CA10

- ▶ ON-OFF - 2 POLE
- ▶ ON-OFF - 3 POLE
- ▶ ON-OFF-ON 3 POLE
- ▶ ON-OFF-ON 4 POLE



ROTARY SWITCH - D11

- ▶ 3 POLE
- ▶ 4 POLE



AMMETER & VOLT METER SWITCH

- ▶ AMMETER SWITCH LW-28 20A SMALL
- ▶ AMMETER SWITCH LW-28 20A BIG
- ▶ VOLT METER SWITCH LW-28 20A SMALL
- ▶ VOLT METER SWITCH LW-28 20A BIG



ISOLATESWITCH

- ▶ 16 A
- ▶ 20 A
- ▶ 25 A
- ▶ 32 A
- ▶ 40 A
- ▶ 63 A
- ▶ 80 A
- ▶ 100 A
- ▶ 125 A



CAM STARTER (METAL BODY)

- ▶ 15 A
- ▶ 30 A
- ▶ 63 A



QUALITY IS OUR PRIORITY

FOOT CONTROL PEDAL SWITCH

- AM3-101(PVC BODY WITH 1MTR CABLE)
- AM3-LT-4 (METAL BODY)
- AM3-SFM-20(DOUBLE TYPE)



TIMER SWITCH

- AM3-DIGITAL TIMER -AHC 15 A
- AM3-WEEKLY DIGITAL TIMER



TIMER SWITCH

- AM3-SUL -180B
- AM3-SUL -180A



TIMER SWITCH

- AM3-SUL -181H



TIMER SWITCH

- AM3-US -35B
- AM3-US -388-R



LIMIT SWITCHES



TOGGLE SWITCHES

- ▶ 1021 - ON-OFF - 2 POLE
- ▶ 1122 - ON-OFF-ON 3 POLE
- ▶ 1221 - ON-OFF 4 POLE
- ▶ 1322 - ON-OFF-ON 6 POLE
- ▶ 223-1 ON-OFF
4 POLE SPRING RETURN
- ▶ 223 ON-OFF-ON
6 POLE SPRING RETURN



FUSED PLUG TOP

- AM3 - 13 A PLUG TOP WHITE
- AM3 - 13 A PLUG TOP BLACK
- AM3 - 13 A PLUG TOP TRANSPARENT
- AM3 - 15 A PLUG TOP WHITE



EASY CONNECTORS

- AM3-LT-2
- AM3-LT-3



IRON PLUG CONNECTOR

AM3- IRON PLUG CONNECTORS 10-16A



QUALITY IS OUR PRIORITY

FLOOR SOCKET -ACCESSORIES

- AM3- BLANK PLATE
- AM3- 3 PIN UNIVERSAL SOCKET
- AM3 - 13 A UK SOCKET
- AM3 - CAT 6 SOCKET
- AM3 - DOUBLE USB SOCKET
- AM3 - 14 W C+ USB SOCKET
- AM3 I GANG SWITCH
- AM3 - HDMI
- AM3 - TV SOCKET



WEATHERPROOF SWITCHES

- AM3- 1G 1 WAY
- AM3 - 2G 1 WAY
- AM3 - 3G 1 WAY
- AM3- BELL PUSH
- AM3 - 13 A SOCKET WITH SWITCH
- AM3- 13 A DOUBLE SOCKET WITH SWITCH
- AM3 - 15 A SOCKET WITH SWITCH



WEATHERPROOF EMPTY BOX


- AM3- 1 GANG
- AM3 - 2 GANG



QUALITY IS OUR PRIORITY

FLOOR BOX & ACCESSORIES

- AM3- FLOOR BOX WITH 13A DOUBLE SWITCH SOCKET
- AM3- A DOUBLE SOCKET FOR FLOOR BOX
- AM3- DATA CAT6 SOCKET FLOOR BOX
- AM3- FLOOR BOX SOCKET PLATE
- AM3- FLOOR BOX DATA PLATE
- AM3- FLOOR BOX BLANK PLATE
- AM3- RJ45 FLOOR SHUTTER 45 DEGREE



FLOOR SOCKET


- AM3 - 13 A SINGLE WITH DATA- SILVER
- AM3 - DOUBLE WITH DATA- SILVER



QUALITY IS OUR PRIORITY


NYLON TERMINAL CONNECTOR-PE

- AM3- 4MM 3A
- AM3- 6MM 10A
- AM3- 10MM 15A
- AM3- 16MM 30A
- AM3- 25MM 60A
- AM3- 35MM 100A



NYLON TERMINAL CONNECTORS PP [WHITE]

- AM3-10MM 15A
- AM3-16MM 30A



CERAMIC WIRE CONNECTOR

- AM3-6MM 6A 2 POLE
- AM3-10MM 10A 2 POLE
- AM3-12MM 15A 2 POLE
- AM3- 16MM 30A 2 POLE
- AM3-6MM 6A 3 POLE
- AM3-10MM 10A 3 POLE
- AM3- 12MM 15A 3 POLE
- AM3-16MM 30A 3 POLE
- AM3- 25MM 60A 3 POLE
- AM3- 16MM 30A 4 POLE




EASY CONNECTORS

- AM3-PCT212
- AM3-PCT213
- AM3-PCT214
- AM3-PCT215




EASY CONNECTORS

- AM3-PCT211
- AM3-PCT222
- AM3-PCT223
- AM3-PCT224
- AM3-PCT225



EASY CONNECTORS


- AM3- LT-223-2
- AM3- LT-223-3
- AM3-LT-223-4
- AM3-LT-223-5
- AM3- LT-223-8
- AM3- LT-223-10
- AM3-LT-223-12



QUALITY IS OUR PRIORITY

EASY CONNECTORS

- AM3-LT-2
- AM3-LT-3



EASY CONNECTORS

- AM3-CH-2
- AM3-CH-3




EASY CONNECTORS

- AM3-LT-412
- AM3-LT-422
- AM3-LT-413




EASY CONNECTORS

- AM3-LT-422
- AM3-LT-623
- AM3-LT-633
- AM3-LT-933
- AM3-LT-2-8



EASY CONNECTORS

- AM3-DF-2604D-2 (ORANGE TYPE)
- AM3-DF-2604D-3 (ORANGE TYPE)
- AM3-DF-2604D-2 (COLOURFUL TYPE)
- AM3-DF-2604D-3 (COLOURFUL TYPE)




TERMINAL BLOCK

- AM3-UK 2.58 2.5 MM
- AM3-UK 5N 40 MM
- AM3-UK 6N 60 MM
- AM3-UK 10N 10 MM
- AM3-UK 16N 16 MM
- AM3-UK 25N 25 MM
- AM3-UK 35N 35 MM
- AM3-UK 50N 50 MM
- AM3-UK 70N 70 MM
- AM3-UK 95N 95 MM
- AM3-UK 150N 150 MM




TERMINAL BLOCK DOUBLE SIDE CLOSED

- AM3-DK 2.5 2.5 MM
- AM3-DK 4 4.0 MM
- AM3-DK 6 6.0 MM
- AM3-DK 10 10 MM
- AM3-DK 16 16 MM
- AM3-DK 25 25 MM
- AM3-DK 35 35 MM




TERMINAL BLOCK YELLOW GREEN DOUBLE SIDE CLOSED

- AM3-DK 2.5NE/D 2.5 MM
- AM3-DK 4NE/D 4.0MM
- AM3-DK 6NE/D 6.0 MM
- AM3-DK 10NE/D 10 MM
- AM3-DK 16NE/D 16 MM.



TERMINAL BLOCK YELLOW GREEN

- AM3-USLKG 2.5 2.5 MM
- AM3-USLKG 5 4.0 MM
- AM3-USLKG 6 6.0 MM
- AM3-USLKG 10 10 MM



TERMINAL BLOK FUSE TYPE

- AM3- 2.5 MM-4 MM



TERMINAL BLOCK DOUBLE DECK

- AM3-US-KK 2.5 MM
- AM3-US-KK 4.0 MM



END STOPPER


- AM3-END STOPPER E/UK
- AM3-END STOPPER E35



QUALITY IS OUR PRIORITY

END PLATE

- AM3-EP 2.5 2.5 MM
- AM3-EP 4/6 4.0 MM,6.0 MM
- AM3-D-UK 2.5
- AM3-AM3-D-UK 4/10
- AM3-D-UK 16



TERMINAL STRIP MARKER

- AM3-KLMK-A




TERMINAL BLOCK JUMPER

- AM3-FB1-10-6 (2.5 MM)
- AM3-FB1-10-8 (4 & 6 MM)



TERMINAL BLOCK MARKER

- AM3-ZB5
- AM3-ZB6
- AM3-ZB8
- AM3-ZB10



SINGLE BOLT CABLE CLEAT-LDPE

- AM3-SINGLE 01 (10.5-14.5)
- AM3-SINGLE 02 (12.2-16.7)
- AM3-SINGLE 03 (14.6-19.8)
- AM3-SINGLE 04 (17.7-24.0)
- AM3-SINGLE 05 (21.7-28.5)
- AM3-SINGLE 06 (26.2-24.2)
- AM3-SINGLE 07 (31.9-41.6)
- AM3-SINGLE 08 (39.3-51.1)



DOUBLE BOLT CABLE CLEAT NYLON

- AM3-DOUBLE 01 (50-58)
- AM3-DOUBLE 02 (56-64)
- AM3-DOUBLE 03 (62-70)
- AM3-DOUBLE 04 (68-76)
- AM3-DOUBLE 05 (74-82)
- AM3-DOUBLE 06 (80-88)
- AM3-DOUBLE 07 (86-94)



QUALITY IS OUR PRIORITY

WATERPROOF CONNECTORS

- AM3-CN 11-4
- AM3-CN 12-3
- AM3-CN 13-5
- AM3-T1-3
- AM3-T2-5



CABLE MARKER

- AM3-BM-0 0.5MM - 1.6 MM (0-9, A-Z)
- AM3-BM-1 2.6MM - 4.2 MM (0-9, A-Z)
- AM3-BM-2 3.6MM - 5.2 MM (0-9, A-Z)
- AM3-BM-3 5.0MM - 7.2 MM (0-9, A-Z)
- AM3-BM-5 7.2MM-10 MM (0-9, A-Z)
- AM3-BM-8 16MM (0-9, A-Z)
- AM3-GM-1 (0-9, A-Z)



CIRCULAR BOX COVER

- AM3-65 MM BLACK (20 MM)
- AM3-65 MM WHITE (20 MM)
- AM3-85 MM BLACK (25 MM)
- AM3-85 MM WHITE (25 MM)



PVC BOX COVER

- AM3-3X3 WHITE
- AM3-6X3 WHITE



FIRE CABLE CLIP

- AM3-AC 08 RED
- AM3-AC 08 WHITE
- AM3-AC 09 RED
- AM3-AC 09 WHITE



WIRE CLIP

- AM3-4 MM
- AM3-6 MM
- AM3-7 MM
- AM3-8 MM
- AM3-9 MM
- AM3-10 MM
- AM3-12 MM
- AM3-4 MM
- AM3-16 MM
- AM3-18 MM
- AM3-20 MM
- AM3-22 MM
- AM3-25 MM



QUALITY IS OUR PRIORITY


SPIRAL

- AM3-4MM 10MM 20MM
- AM3-6MM 12MM 25MM
- AM3-8MM 16MM 30MM



SS CABLE TIE COATED & UNCOATED

- AM3-100X4.0
- AM3-150X4.6
- AM3-200x46
- AM3-260X4.6
- AM3-300X4.6
- AM3-360X46
- AM3-400X46
- AM3-450x46
- AM3-500x4.5
- AM3-600x4.6
- AM3-700x46
- AM3-800X4.5



CABLE TIE

- AMAM3-100×2.5 370X48
- AM3-150X2.5 380X76
- AM3-150×3.6 400X48
- AM3-200×2.5 450X48
- AM3-200×3.6 450X76
- AM3-200×48 550X76
- AM3-250×36 600X90
- AM3-250x48 700X90
- AM3-300×3.6 800×90
- AM3-300×4.8 900X9.0
- AM3-00x76 1000X90
- AM3-70×3.6



MARKER STRIP

- MS-65
- MS-100
- MS-135



CABLE TIE MOUNT

- 20X20
- 25X25
- 28X38



PULLING SPRING HD (5.0 MM)

- 20 MTR
- 25 MTR
- 30 MTR
- 50 MTR



QUALITY IS OUR PRIORITY

DIE SET

- AM3-20-25 MM
- AM3-25-32 MM
- AM3-20-25-32 MM



BENDING SPRING STEEL GALVANIZED

- AM3-20 MM
- AM3-25 MM
- AM3-32 MM



FISHING TAPE

- AM3 -15 MTR
- AM3-30 MTR
- AM3-M3-60 MTR
- AM3-100 MTR



PULLING SPRING (3.2 MM)

- AM3-5MTR
- AM3-10 MTR
- AM3-15 MTR
- AM3-20 MTR
- AM3-25 MTR
- AM3-30 MTR



NYLON PULLING SPRING

- AM3-5MTR
- AM3-10 MTR
- AM3-15 MTR
- AM3- 20 MTR
- AM3-25 MTR
- AM3-30 MTR



RED/BLACK TWIST PULLER

- AM3-10 MTR
- AM3-20 MTR
- AM3-30 MTR
- AM3-40 MTR
- AM3-4-60 MTR
- AM3-100 MTR





QUALITY IS OUR PRIORITY

NYLON PG GLAND WITH WASHER

- AM3-PG-7
- AM3-PG-9
- AM3-PG-11
- AM3-PG-13.5
- AM3-PG-16
- AM3-PG-19
- AM3-4-PG-21
- AM3-PG-25
- AM3-PG-29
- AM3-PG-36
- AM3-PG-42
- AM3-PG-48
- AM3-PG-63



NYLON M GLAND WITH WASHER

- AM3-M-12
- AM3-M-16
- AM3-M-20
- AM3-M-25
- AM3-M-32
- AM3-M-40
- AM3-M-50



FIBER GLASS CABLE PULLER

- AM3-100MTR X 6MM
- AM3-150MTR X 8MM
- AM3-150 MTR X 11MM



INSULATED TERMINALS



INSULATED FORK TERMINAL

- AM3-SVS 1.25-3
- AM3-SVS 1.25-4
- AM3-SVS 1.25-5
- AM3-SVS 1.25-6
- AM3-SVS 1.25-8
- AM3-SVS2-3
- AM3-SVS2-4
- AM3-SVS2-5
- AM3-SVS2-6
- AM3-SVS2-8
- AM3-SVS 5.5-3
- AM3-SVS 5.5-4
- AM3-SVS 5.5-5
- AM3-SVS 5.5-6
- AM3-SVS 5.5-8



INSULATED RING TERMINAL

- AM3-RVS 1.25-3
- AM3-RVS 1.25-4
- AM3-RVS 1.25-5
- AM3-RVS 1.25-6
- AM3-RVS 1.25-8
- AM3-RVS 1.25-10
- AM3-RVS 2-3
- AM3-RVS 2-4
- AM3-RVS 2-5
- AM3-RVS 2-6
- AM3-RVS 2-8
- AM3-RVS 2-10
- AM3-RVS 5.5-3
- AM3-RVS 5.5-4
- AM3-RVS 5.5-5
- AM3-RVS 5.5-6
- AM3-RVS 5.5-8
- AM3-RVS 5.5-10



INSULATED PIN TERMINAL

- AM3-PTV 125-10
- AM3-PTV 2-10
- AM3-PTV 2-13
- AM3-PTV 55-13
- AM3-PTV 10-12



INSULATED FLAT TERMINAL

- AM3-DBV 125-18
- AM3-DBV 2-18
- AM3-DBV 55-18



QUALITY IS OUR PRIORITY

FULLY INSULATED FEMALE CONNECTOR

- AM3-FDFD 125-250
- AM3-FDFD 2-250
- AM3-FDFD-55-250



INSULATED FEMALE CONNECTOR

- AM3-FDD 125-187
- AM3-FDD 125-250
- AM3-FDD 2-187
- AM3-FDD 2-250
- AM3-FDD 5.5-375
- AM3-FDD 5.5-250
- AM3-FDD 2-250
- AM3-FDD 5.5-375
- AM3-FDD 5.5-250



INSULATED MALE CONNECTOR

- AM3-MOD 1.25-187
- AM3-MDD 125-250
- AM3-MDD 2-187
- AM3-MDD 2-250
- AM3-MOD 55-250



INSULATED BUTT CONNECTOR

- AM3-BV 125
- AM3-BV2
- AM3-BVSS
- AM3-BVB



FULLY INSULATED FLAG CONNECTOR

- AM3-FLONY 1.25-250
- AM3-FLDNY 2-250
- AM3-FLONY55-250



INSULATED BULLET MALE CONNECTOR

- AM3-MPD 125-156
- AM3-MPD 2-156
- AM3-MPD 5.5-195



FUSE HOLDER 10X38

- FUSE HOLDER 10X38 WITH LIGHT IP
- FUSE HOLDER 10X38 TP



CERAMIC FUSE 6X25

- 6X25 34
- 6X25 5A
- 6X25 10A
- 6X25 13A
- 6X25 15A



CYLINDRICAL FUSE 10X38

- AM3-10X38 1A
- AM3-10X38 2A
- AM3-10X38 5A
- AM3-10X38 4A
- AM3-10X38 6 A
- AM3-10X38 10A
- AM3-10X38 16A
- AM3-10X38 20A
- AM3-10X38 25A
- AM3-10X38 32A



TWIN CORD END TERMINAL

- AM3-TE0512
- AM3-TE7510
- AM3-TE1010
- AM3-TE1512
- AM3-TE2513
- AM3-TE4012
- AM3-TE6014
- AM3-TE1014
- AM3-TE1614



INSULATED CORD END TERMINAL

- AM3-E0508
- AM3-E6012
- AM3-E7508
- AM3-E1012
- AM3-E1008
- AM3-E1612
- AM3-E1508
- AM3-E2516
- AM3-E1508
- AM3-E5020
- AM3-E2508
- AM3-E3516
- AM3-E4009



GLASS FUSE

- 0.5A
- 1A
- 1.5A
- 2A
- 3A
- 4A
- 5A
- 6A
- 8A
- 10A
- 13A
- 15A
- 20A
- 25A
- 30A


5X20 6X30



QUALITY IS OUR PRIORITY

NEUTRAL LINK WITH BASE

- AM3-7 WAY
- AM3-10 WAY
- AM3-13 WAY



EARTH BAR

- AM3-1/2 MTR (72 WAY)
- AM3-1 MTR (144 WAY)




NEUTRAL LINK EXTENDER

- AM3-1WAY
- AM3-2 WAY




COPPER BUSBAR - PIN TYPE

- AM3-1P
- AM3-2P
- AM3-3P
- AM3-4P



COPPER BUSBAR-U TYPE

- AM3-1P
- AM3-2P
- AM3-3P
- AM3-4P




BUSBAR END CAP

- AM3-2P
- AM3-3P
- AM3-4P



DIN RAIL

- AM3-DIN RAIL 35 MM-2MTR
- AM3-DIN RAIL 35 MM-1MTR




BUS BAR INSULATOR

- SM-25X6
- SM-51X8
- SM-30X6
- SM-51X10
- SM-30x8
- SM-60X10
- SM-40X8
- SM-76x10
- SM-40X10



DB BLANK PLATE

- AM3-12 WAY



EARTH STRIP

- AM3-EARTH STRIP 6MM X 100 MM
- AM3-EARTH STRIP 6MM X 150 MM
- AM3- EARTH STRIP 6MM X 200 MM



BIMETALIC CABLE LUGS DTL-2

- DTL-2 16-10
- DTL-2 25-8
- DTL-2 25-10
- DTL-2 35-8
- DTL-2 35-10
- DTL-2 50-8
- DTL-2 50-12
- DTL-2 70-8
- DTL-2 70-12
- DTL-2 95-8
- DTL-2 95-12
- DTL-2 120-12
- DTL-2 150-12
- DTL-2 185-12
- DTL-2 240-12
- DTL-2 300-12
- DTL-2 630-16



BRASS MALE BUSH

- AM3-20 MM SHORT
- AM3-20 MM LONG
- AM3-25 MM SHORT
- AM3-25 MM LONG
- AM3-32 MM SHORT
- AM3-32 MM LONG



QUALITY IS OUR PRIORITY

COPPER BUSH

- AM3-MEXT5MM
- AM3-M6X20MM
- AM3-M8X15MM
- AM3-M8X20MM



GI FLEXIBLE ADAPTOR

- AM3-20 MM
- AM3-25 MM
- AM3-32 MM



RUBBER GROMMET

- AM3-20 MM
- AM3-25 MM
- AM3-32 MM
- AM3-38 MM
- AM3-50 MM



RUBBER GROMMET (OPEN TYPE)

- AM3-20MM (3/4")
- AM3- 25MM (1")



EDGE PROTECTOR-25 MTR ROLL

- AM3-15 MM WITH STEEL
- AM3-17 MM WITH STEEL
- AM3-20 MM WITH STEEL
- AM3-25 MM WITH STEEL
- AM3-30 MM WITH STEEL
- AM3-35 MM WITH STEEL



GI FLEXIBLE CONDUIT PVC COATED INDIA-AM3

- AM3-20 MM
- AM3-25 MM
- AM3-32 MM
- AM3- 40 MM
- AM3- 50 MM



QUALITY IS OUR PRIORITY

BRASS REDUCER

- 25-20 40-32
- 32-20 50-25
- 32-25 50-32
- 40-20 50-40
- 40-25 63-40



BRASS LOCKNUT NICKLE PLATED

- 20 MM
- 25 MM



CORRUGATED FLEXIBLE PIPE-PE

- AM3--714.5 X7MM) 200 MTR
- AM3--7145 X7 MMO 100 MTR
- AM3--10 (7X10 MMI 100 MTR
- AM3-13(10X13 MM) 100 MTR
- AM3-158(12X15.8 MM) 100 MTR
- AM3-185/14.3X18.5 MM 100 MTR



GI FLEXIBLE CONDUIT WITHOUT PVC COATED-AM3

- AM3-20 MM
- AM3- 25 MM



HIGH VOLTAGE SELF FUSING RUBBER TAP

- AM3-19 MM 5 YARD BLACK



HEAT SHRINKABLE SLEEVE

- 3 MM
- 4 MM
- 5 MM
- 6 MM
- 8 MM
- 10 MM
- 12 MM
- 16 MM
- 20 MM
- 25 MM
- 30 MM
- 35 MM
- 40 MM
- 50 MM





NETWORKING ACCESSORIES

QUALITY IS OUR PRIORITY

KEYSTONE JACK

- AM3-180 DEGREE
- AM3-90 DEGREE



FACE PLATE

- AM3-1 PORT
- AM3-2 PORT



DATA FACE PLATE

- AM3-45X45 TPORT
- AM3-45X45 2PORT



PATCH PANEL

- AM3-PATCH PANEL 12 PORT LOADED
- AM3-PATCH PANEL 24 PORT LOADED
- AM3-PATCH PANEL 24 PORT BLANK



RJ45 BOOT

- AM3-BOOT GREY
- AM3-BOOT BLUE



RJ45 COUPLER

- R345 UTP COUPLER 1-1
- R345 UTP COUPLER 1-2
- RJ45 FTP COUPLER 1-1
- RJ45 FTP COUPLER 1-2



QUALITY IS OUR PRIORITY

CAT6 UTP PATCH CORD

- 0.5 MTR
- 1MTR
- 2 MTR
- 3 MTR
- 5 MTR
- 10 MTR
- 15 MTR
- 20 MTR
- 25 MTR
- 30 MTR
- 40 MTR
- 50 MTR



FIBER OPTICAL CABLE

- 2 CORE INDOOR-1000 MTR
- 2 CORE OUTDOOR-1000 MTR
- 4 CORE INDOOR-1000 MTR



FAN CAPACITOR-WIRE TYPE

- 0.6 MFD
- 1 MFD
- 1.5 MFD
- 2 MFD
- 2.5 MFD
- 3 MFD
- 3.5 MFD
- 4 MFD
- 4.5 MFD
- 5 MFD
- 6 MFD
- 8 MFD
- 10 MFD



RUNNING CAPACITOR-PIN TYPE

- 2.5 MFD
- 3 MFD
- 3.5 MFD
- 4 MFD
- 5 MFD
- 6 MFD
- 7.5 MFD
- 8 MFD
- 10 MFD
- 12 MFD
- 15 MFD
- 16 MFD
- 18 MFD
- 20 MFD
- 25 MFD
- 30 MFD
- 35 MFD
- 40 MFD
- 45 MFD
- 50 MFD
- 55 MFD
- 60 MFD
- 65 MFD
- 70 MFD
- 80 MFD



RUNNING CAPACITOR-WIRE TYPE

- 2.5 MFD
- 3 MFD
- 3.5 MFD
- 4 MFD
- 5 MFD
- 6 MFD
- 7.5 MFD
- 8 MFD
- 10 MFD
- 12 MFD
- 15 MFD
- 16 MFD
- 18 MFD
- 20 MFD
- 25 MFD
- 30 MFD
- 35 MFD
- 40 MFD
- 45 MFD
- 50 MFD
- 55 MFD
- 60 MFD
- 65 MFD
- 70 MFD
- 80 MFD



FAN CAPACITOR-PIN TYPE

- 1 MFD
- 1.5 MFD
- 2 MFD
- 2.5 MFD
- 3 MFD
- 3.5 MFD
- > 4 MFD
- 4.5 MFD
- 5 MFD
- > 6 MFD
- 8 MFD
- 10 MFD



QUALITY IS OUR PRIORITY

STARTING CAPACITOR WIRE TYPE

- 100 UF
- 150 UF
- 200 UF
- 250 UF
- 300 UF
- 350 UF
- 400 UF
- 450 UF
- 500 UF



AC CAPACITOR 4+4 PIN

- 20 MFD
- 25 MFD
- 30 MFD
- 35 MFD
- 40 MFD
- 45 MFD
- 50 MFD
- 55 MFD
- 60 MFD
- 65 MFD
- 70 MFD
- 80 MFD



AC CAPACITOR 4+4+4

- 30+5 MFD
- 35+5 MFD
- 40+5 MFD
- 45+5 MFD
- 50+5 MFD
- 55+5 MFD
- 60+5 MFD
- 65+5 MFD



AC CAPACITOR SMALL 4+4

- 5 MFD
- 6 MFD
- 8 MFD
- 10 MFD
- 12 MFD
- 15 MFD



STARTING CAPACITOR PIN TYPE

- 100 UF
- 150 UF
- 200 UF
- 250 UF
- 300 UF
- 350 UF
- 400 UF
- 450 UF
- 500 UF



QUALITY IS OUR PRIORITY

INDUSTRIAL SOCKET

- 16A 3 PIN 220V-2132
- 16A 4 PIN 415V-2142-
- 16A 5 PIN 415V-2152
- 32A 3 PIN 220V-2232
- 32A 4 PIN 415V-2242-
- 32A 5 PIN 415V-2252
- 63A5 PIN 415V-2352



INDUSTRIAL WALL SOCKET-IP67

- 16A 3 PIN 220V-1132
- 32A 3 PIN 220V-1232
- 32A 5 PIN 415V-1252



INDUSTRIAL PLUG

- 16A 3 PIN 110V-013-4
- 16A 3 PIN 220V-013
- 16A 4 PIN 415V-014
- 5 16A SPIN 415V-015
- 32A 3 PIN 220V-023
- 32A & PIN 415V-024
- 32A 5 PIN 415V-025
- 63A 3P PIN 220V-033
- 63A 4 PIN 415V-034
- 63A 5 PIN 415V-035
- 125A 4 PIN 415V-442
- 125A 5 PIN 415V-452



PANEL SOCKET-STRIGHT

- 16A SPIN 220V-613
- 32A 3 PIN 220V-623
- 32A 5 PIN 415V-625



PANEL PLUG-STRIGHT

- 16A 3PIN 220V-313
- 16A SPIN 220V-613
- 32A 3 PIN 220V-623
- 32A 5 PIN 415V-625
- 32A 3 PIN 220V-323
- 32A 5 PIN 415V-325



INDUSTRIAL WALL SOCKET

- 16A 3 PIN 220V-113
- 16A 5 PIN 415V-115
- 16A 4 PIN 415 -114
- 32A 3 PIN 220V-123
- 32A 4 PIN 415V-124
- 32A 5 PIN 415V-125
- 63A 3 PIN 220V-133



QUALITY IS OUR PRIORITY

GI SWITCH BOXES

- 3X3X35
- 3X3X47
- 3X3X47
- 6X3X35



PVC BAX BOX

- 3X3-45 MM DEPTH



WEATHERPROOF JUNCTION BOX

- 80X80X40
- 100X100X50
- 100X100X100
- 120X80X50
- 150X110X70
- 150X150X70
- 150X150X100
- 190X140X70
- 240X190X90
- 240X190X125
- 300X220X120
- 300X220X170
- 380X300X120
- 460X380X130



WEATHERPROOF JUNCTION BOX WITH SLEEVE

- 80X40
- 80X80X40
- 100X100X50
- 150X110X70
- 150X150X70
- 150X150X100
- 190X140X70
- 240X190X90
- 300X220X120



GAGT SERIES W/P TRANSPARENT JUNCTION BOX

- 100X100X75
- 125x125x100
- 180X80X70
- 170X140X100
- 175X125X75
- 175X175X100
- 200X150X100
- 200X200X130
- 200X200X100
- 250X80X85
- 250X150X100
- 280X190X130
- 280X280X130
- 380X280x130



IK08 SERIES W/P JUNCTION BOX

- 250X80X85
- 250X150X100
- 280X190X130
- 280X280X130
- 380X280X130



QUALITY IS OUR PRIORITY

INDUSTRIAL MULTI SOCKET

- 16A 3 PIN 2 WAY-1012
- 16A 3 PIN 3 WAY-1013
- 32A 3 PIN 3 WAY-1023
- 32A 4 PIN 3 WAY-1024
- 32A 5 PIN 3 WAY-1025





TOOLS

QUALITY IS OUR PRIORITY

CRIMPING TOOL

- AM3-30J (1-6 MM²)



CRIMPING TOOL

- AM3-03 C (0.5-6 MM²)



CRIMPING TOOL

- AM3-06 WF (0.25-6.0MM2)



CRIMPING TOOL

- AM3-10 WF (0.5-10MM2)




CRIMPING TOOL

- AM3-16 WF (4-18MM²)



CRIMPING TOOL

- AM3-35WF (10-35MM2)



QUALITY IS OUR PRIORITY

CRIMPING TOOL

- AM3-C8-6-4 (0.25-10MM2)



CRIMPING TOOL

- AM3-CB6-6(0.25-10MM2)



CRIMPING TOOL

- AM3-CB-16-4 (0.25-16MM2)



CRIMPING TOOL

- AM3-08 16-6(0.25-16MM2)



CRIMPING TOOL

- AM3-10 (1.5-6 MM²)



CRIMPING TOOL

- AM3-6 (125-6MM²)



QUALITY IS OUR PRIORITY

WIRE STRIPPER

- 8LK-38



WIRE STRIPPER

- CABLE KNIFE US-52



NETWORKING TOOLS

- CABLE TESTER 85-468



NETWORKING TOOLS

- 4-IN-1 REMOTE TESTER



NETWORKING TOOLS

- PUNCHING TOOLS-9148



NETWORKING TOOLS

- PUNCHING TOOL-3141



QUALITY IS OUR PRIORITY

NETWORKING TOOLS

- AM3-500R (RJ-45, RJ-11)



NETWORKING TOOLS

- AM3-2008R (RJ-45, RJ-11)



NETWORKING TOOLS

- AM3-315 (RJ-10, RJ-11, RJ-45)



NETWORKING TOOLS

- AM3-7018 (CAT-5, CAT-6, CAT-7)



NETWORKING TOOLS

- AM3-EZ-378 (RJ45 PASS THROUGH CRIMPERS)



NETWORKING TOOLS

- AM3-319 M



HYDRAULIC CRIMPING TOOL

- AM3-70 (4-70 MMI)



HYDRAULIC CRIMPING TOOL

- AM3-120 (10-120 MM)



HYDRAULIC CRIMPING TOOL

- AM3-300 (16-300 MM)



CU/PVC FLEXIBLE CABLE H05VV-F



Made in Turkey

300/500V, BS6500
Brand : ARSHFLEX



100YARD / ROLL

ORDER NOW

www.alarsheltricals.com  +971 6 8052756  +971 50 1339162

AI ARSH ELECTRICALS TRADING L.L.C

GI FLEXIBLE CONDUIT PVC COATED



MADE IN INDIA

BRAND : ARSHFLEX

SIZE : 20MM / 25MM / 32MM / 50MM.



ORDER NOW

www.alarshelectricals.com  +971 6 8052756  +971 50 1339162

AI ARSH ELECTRICALS TRADING L.L.C

LED SPOT LIGHT

MADE IN CHINA



220-240V 50/60Hz

8W

ORDER NOW

www.alarshetricals.com +971 6 8052756 +971 50 1339162

ALARSH ELECTRICALS TRADING L.L.C

LED DOWN LIGHT

Made in Korea



Color : Cool White 6500K,
Input : AC220-240V, 50/60Hz.



5Watt,

ORDER NOW

www.alarshetricals.com  +971 6 8052756  +971 50 1339162

AL ARSH ELECTRICALS TRADING L.L.C

LOW VOLTAGE LED STRIP LIGHT



Model: 8320A
LED/WE320LED
Voltage: DC12V
Quantity: SM
Cri: 90

Color: 3000K
IP: 20
Lumen: 24-26
Date: 2022/12/25
gh briness



COB

LOW VOLTAGE
LIGHT STRIP

MR

Incens: (11f (ry))
Briess: (1.8na1)
Sffature: (35ent)
Senn: Seac
Suumbae: 1319%,07.00(1)
AnoWare: 14.0118//3580



ORDER NOW

www.alarshetricals.com  +971 6 8052756  +971 50 1339162

AL ARSH ELECTRICALS TRADING L.L.C

2CX0.75MM TWIN SPEAKER WIRE COLOR : RED & BLACK



300/500V, BS6500



Brand : ARSHPOWER

ORDER NOW

www.alarsheltricals.com  +971 6 8052756  +971 50 1339162

AI ARSH ELECTRICALS TRADING L.L.C

LED FLOOR LIGHT



POWERBY : LRC



100 WATT / 200 WATT / 400 WATT

500 WATT / 1000 WATT

ORDER NOW

www.alarshetricals.com  +971 6 8052756  +971 50 1339162

AL ARSH ELECTRICALS TRADING L.L.C

3 Compartment GI Floor Box.



BRAND : ARSHPOWER
GOOD QUALITY



MK design

ORDER NOW

www.alarshelctricals.com  +971 6 8052756  +971 50 1339162

AI ARSH ELECTRICALS TRADING L.L.C

HAYASHI VENTILATING EXHAUST FAN.



MADE IN JAPAN

(BACK SIDE AUTO SHUTTER METAL BODY) HEAVY
DUTY, 100% COOPER WINDING,



15HES-6" / 25HES-10"

ORDER NOW

www.alarsheletricals.com ☎ +971 6 8052756 📞 +971 50 1339162

AI ARSH ELECTRICALS TRADING L.L.C

AFN LED WALL LIGHT



OUTDOOR

9020-10W-BK-WW



ORDER NOW


www.alarshetricals.com  +971 6 8052756  +971 50 1339162

AI ARSH ELECTRICALS TRADING L.L.C

VENTILATION EXHAUST FAN



TYPE: ROUND. SIZE: 6" INCH (20pc Box)
8" INCH (12pc Box)



BRAND: ARSHPOWER

ORDER NOW

www.alarshelectricals.com ☎ +971 6 8052756 📞 +971 50 1339162

AI ARSH ELECTRICALS TRADING L.L.C

ELECTRONIC TRANSFORMER

MADE IN ITALY



BRAND : VINTAGE
12V 50W

ORDER NOW

www.alarsheletricals.com  +971 6 8052756  +971 50 1339162

AI ARSH ELECTRICALS TRADING L.L.C

GALVANISED STEEL CONDUIT 1.1MM THICKNESS (HEAVY DUTY)



MADE IN INDIA

SIZE : 20mm / 25mm, LENGTH : 3.75 METER PER LENGTH.

BRAND :
ARSHPOWER



ORDER NOW

www.alarsheletricals.com  +971 6 8052756  +971 50 1339162

AI ARSH ELECTRICALS TRADING L.L.C

CU/PVC/FLEXIBLE CABLE H05VV-F,

Made in Turkey



300/500V, BS6500,

Brand : ARSHPOWER



80YARD / ROLL

ORDER NOW

www.alarsheltricals.com  +971 6 8052756  +971 50 1339162

AI ARSH ELECTRICALS TRADING L.L.C

MR.3[®] OUTDOOR LIGHT



Item No	MR2200-1 MR2100-1
Power	GU10*1
Colour	AB
Voltage	AC85-265V 50/60Hz



ORDER NOW

www.alarsheletricals.com  +971 6 8052756  +971 50 1339162

AI ARSH ELECTRICALS TRADING L.L.C



PRECISION[®]

Pipes | Desh ki Lifeline



**Electrical Price List - 7th June
2023**

ROUND CONDUIT uPVC PIPES & FITTINGS

Precision Round Conduit uPVC Pipes and Fittings are manufactured from a specially formulated unplasticised polyvinyl chloride (uPVC) to meet the most stringent Indian and International standards. Our products are made of extra super high impact material which make them safe to use in harsh environments. The products are manufactured in accordance with IS 9537 - Part 3, BS EN 61386-21 for uPVC conduits, IS 3419:1988 and BS 4607 for uPVC fittings.

1st time in India

Our Premium range of TRANSPARENT ROUND CONDUIT uPVC PIPES AND FITTINGS are also available in Red, Green, Blue & Yellow colours on request.

Applications

Channelising concealed and surface wiring.
Telecommunication and cable ducting.

DIMENSIONS OF ROUND CONDUIT uPVC PIPES IS 9537 - PART 3

Nominal Size (mm)	Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Inside Diameter (Min.) (mm)		
			Light	Medium	Heavy
20	20	-0.3	17.4	16.9	15.8
25	25	-0.4	22.1	21.4	20.6
32	32	-0.4	28.6	27.8	26.6
40	40	-0.4	35.8	35.4	34.4
50	50	-0.5	45.1	44.3	43.2
63	63	-0.6	57.0	-	-
#SPECIAL SIZES					
19	19	-0.3	16.5	16.0	15.1
38	38	-0.4	33.7	33.4	32.4

Features



Various Diameters & Grades



Fire retardant & corrosion free



Easy and quick installation



Thermal resistant (-5° C to +60° C)



Durable & Impact resistant



Laser Engraved Pipe

- Light, medium and heavy mechanical stress, to suit various applications and site conditions
- Wide range of component maximises application
- Precision circular boxes and adaptable boxes are provided with M4 brass insert with a load suspension capacity of 3 Kgs at +60° C





CIRCULAR BOX WITHOUT LID

ANGLE - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
123	PRCB 192AD	19	10	280	30.00
124	PRCB 202AD	20	10	280	30.50
125	PRCB 252AD	25	10	280	36.75
126	PRCB 322AD	32	10	280	44.75

BRANCH - 3 WAY (Y) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
142	PRCB 19Y	19	20	400	33.00
143	PRCB 20Y	20	20	400	34.50
144	PRCB 25Y	25	15	300	45.50

THROUGH - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
127	PRCB 192SD	19	10	200	30.00
128	PRCB 202SD	20	10	200	30.50
129	PRCB 252SD	25	10	200	36.75
130	PRCB 322SD	32	10	200	44.75

BRANCH - 4 WAY (H) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
145	PRCB 19H	19	15	300	34.75
146	PRCB 20H	20	15	300	35.75
147	PRCB 25H	25	15	300	48.75

TEE - 3 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
131	PRCB 193D	19	10	220	33.75
132	PRCB 203D	20	10	220	34.50
133	PRCB 253D	25	10	220	43.25
134	PRCB 323D	32	10	160	48.25

BACK OUTLET - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
148	PRCB 201 BO	20	20	400	30.25
149	PRCB 251 BO	25	15	300	43.25

INTERSECTION - 4 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
135	PRCB 194D	19	10	220	34.25
136	PRCB 204D	20	10	220	35.50
137	PRCB 254D	25	10	220	45.75
138	PRCB 324D	32	10	160	49.50

BACK OUTLET THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
150	PRCB 202S BO	20	20	400	30.75
151	PRCB 252S BO	25	15	300	45.50

BRANCH - 2 WAY (U) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
139	PRCB 19U	19	20	400	30.50
140	PRCB 20U	20	20	400	31.00
141	PRCB 25U	25	20	400	42.00

BACK OUTLET ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
152	PRCB 202A BO	20	20	400	30.75
153	PRCB 252A BO	25	15	300	45.50

BACK OUTLET TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
154	PRCB 203 BO	20	20	400	34.50
155	PRCB 253 BO	25	15	300	49.00



BRANCH - 4 WAY (H) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
238	PRCB 19HL	19	15	300	41.00
239	PRCB 20HL	20	15	300	42.00
240	PRCB 25HL	25	15	300	55.00

BACK OUTLET - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
241	PRCB 201 BOL	20	20	400	36.50
242	PRCB 251 BOL	25	15	300	49.50

BACK OUTLET THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
243	PRCB 202S BOL	20	15	300	37.00
244	PRCB 252S BOL	25	15	240	51.75

BACK OUTLET ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
245	PRCB 202A BOL	20	15	300	37.00
246	PRCB 252A BOL	25	15	240	51.75

BACK OUTLET TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
247	PRCB 203 BOL	20	15	300	40.75
248	PRCB 253 BOL	25	15	240	55.25

CIRCULAR EXTENSION RING



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
249	PRER 20	20	50	800	12.50
250	PRER 25	25	40	640	16.00

LOOP IN BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
251	PRLB 19	19 (4 punch)	20	400	17.75
252	PRLB 20	20 (4 punch)	20	400	17.75
253	PRLB 25	25 (2 punch)	20	400	17.75

LOOP IN BOX EXTENSION



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
254	PRLB 20E	20	24	384	27.00

COUPLER



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
255	PCR 19	19	100	2000	4.75
256	PCR 20	20	100	2000	5.25
257	PCR 20 L	20 Long	150	2400	5.75
258	PCR 25	25	100	2000	7.25
259	PCR 32	32	60	960	12.50
260	PCR 38	38	30	480	19.25
261	PCR 40	40	30	480	21.75
262	PCR 50	50	20	320	37.25

EXPANSION COUPLER



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
263	PCR 20E	20	20	600	7.25
264	PCR 25E	25	12	360	12.50
265	PCR 32E	32	8	240	22.75
266	PCR 38E	38	10	200	29.25
267	PCR 50E	50	10	160	41.50

(PIPE TO FITTING) REDUCER COUPLER



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
268	PRR1	25>20	250	4000	7.25

(PIPE TO PIPE) REDUCER COUPLER



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
269	PRR 2520	25 > 20	75	1500	7.25
270	PRR 3220	32 > 20	60	1200	9.50
271	PRR 3225	32 > 25	40	800	12.50
272	PRR 4020	40 > 20	48	960	16.00
273	PRR 4032	40 > 32	32	640	17.75
274	PRR 5032	50 > 32	30	480	21.50
275	PRR 5040	50 > 40	30	480	21.75

IS:3419



ROUND CONDUIT UPVC PIPE FITTINGS

HSN : 39174000

1988



SLIP TYPE BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
276	PRBN 19	19	65	1040	7.75
277	PRBN 20	20	65	1040	8.25
278	PRBN 25	25	35	560	13.50
279	PRBN 32	32	20	320	36.00
280	PRBN 38	38	10	160	44.25
281	PRBN 40	40	10	160	73.00
282	PRBN 50	50	5	80	99.50
283	PRBN 63	63	-	50	145.50

ROUND 'U' CLIP



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
308	PRUC 20	20	200	4000	7.50
309	PRUC 25	25	100	3000	11.75

SLIP TYPE LONG BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
284	PRBL 19	19	45	720	12.00
285	PRBL 20	20	45	720	12.50
286	PRBL 25	25	20	320	20.75
287	PRBL 32	32	10	160	50.00
288	PRBL 38	38	-	100	60.50
289	PRBL 40	40	-	80	98.00
290	PRBL 50	50	-	55	147.50

END CAP



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
310	PREC 20	20	150	3000	2.75
311	PREC 25	25	100	2000	4.75
312	PREC 32	32	70	1400	5.75
313	PREC 40	40	32	640	11.00
314	PREC 50	50	24	480	15.75

SPACE BAR SADDLE



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
291	PRBS 19	19	100	2000	6.75
292	PRBS 20	20	100	2000	7.25
293	PRBS 25	25	100	2000	8.75
294	PRBS 32	32	100	1600	15.00
295	PRBS 38	38	80	1280	16.50
296	PRBS 40	40	80	1280	16.75
297	PRBS 50	50	60	960	20.00
298	PRBS 63	63	-	50	26.25

MALE BUSH ADAPTOR



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
315	PMBA 19	19	100	2000	7.25
316	PMBA 20	20	100	2000	7.75
317	PMBA 25	25	100	2000	9.25

FEMALE BUSH ADAPTOR



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
318	PFBA 19	19	100	2000	7.25
319	PFBA 20	20	100	2000	7.75
320	PFBA 25	25	100	2000	9.75
321	PFBA 32	32	75	1200	15.00
322	PFBA 38	38	50	800	20.25
323	PFBA 40	40	50	800	20.25
324	PFBA 50	50	25	400	34.25

SADDLE STRAP



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
299	PRSS 19	19	100	2000	4.00
300	PRSS 20	20	100	2000	4.25
301	PRSS 25	25	100	2000	5.75
302	PRSS 32	32	100	1600	6.75
303	PRSS 38	38	80	1280	8.25
304	PRSS 40	40	80	1280	8.75
305	PRSS 50	50	60	960	11.75

(POLYPROPYLENE)

SELF LOCKING SADDLE CLIP



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
306	PPSC20SL	20	75	450	9.50
307	PPSC25SL	25	50	300	12.00

ROUND ELBOW



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
325	PRE 20	20	125	2500	7.25
326	PRE 25	25	75	1200	9.75
327	PRE 32	32	20	400	13.75
328	PRE 40	40	15	300	21.25
329	PRE 50	50	10	200	34.00

IS:3419



1988

ROUND CONDUIT UPVC PIPE FITTINGS

HSN : 39174000



ROUND TEE



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
330	PRT 20	20	50	1500	12.00
331	PRT 25	25	50	800	14.75
332	PRT 32	32	15	300	17.00
333	PRT 40	40	10	200	25.25
334	PRT 50	50	10	160	40.00

INSPECTION ELBOW



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
335	PIE 20	20	20	600	31.00
336	PIE 25	25	20	400	38.50

INSPECTION TEE



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
337	PIT 20	20	20	600	30.50
338	PIT 25	25	20	400	45.50

INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
339	PIB 20	20	20	600	30.75
340	PIB 25	25	20	400	45.25

ADAPTABLE BOX WITH LID



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
341	PAB 75L	3" x 3" x 2" 75x75x50	10	200	66.50
342	PAB 110L	4" x 4" x 3" 110x110x75	-	100	131.00
343	PAB 160L	6" x 4" x 3" 160x110x75	-	75	264.50
344	PAB 160SL	6" x 6" x 3" 160x160x75	-	50	288.50
345	PAB 225SL	9" x 9" x 3" 225x225x75	-	20	624.50
346	PAB 300SL	12" x 12" x 4" 300x300x110	-	5	1,319.50

(WHITE)

SURFACE SWITCH BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
347	PSB1	3" x 3"	10	300	41.75
348	PSB2	6" x 3"	10	200	71.50

(WHITE)

SWITCH BOX LID



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
349	PSBL1 LID	3" x 3"	40	1200	18.00
350	PSBL2 LID	6" x 3"	25	750	24.25

(SWITCH BOX)

FLUSH MOUNTED



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
351	PFSB1	3" x 3" x 2"	10	200	47.00
352	PFSB2	6" x 3" x 2"	10	160	63.00

(BLACK)

FAN BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
353	PRFB20	20 Standard	10	220	49.50
354	PRFB25	25 Standard	10	220	49.50
355	PRFB20SL	20 Large	10	140	67.00
356	PRFB25SL	25 Large	10	140	67.00
357	PRFBRD2025	20/25 with Rod	1	28	202.00
358	PRFBRD25	25 with Rod	1	28	202.00

METAL FAN BOX WITH ROD (BROWN)



HSN : 73072900

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Bag	RATE Pc
359	PMFB 2025	20/25	50	200.00

UPVC SOLVENT CEMENT

HSN: 35061000



SR. NO.	PRODUCT CODE	SIZE (ml)	Colour	STANDARD PACK		RATE Pc
				Pc./Box	Pc./Carton	
360	PSC100 ML	100ml	Transparent	24	144	88.00
361	PSC250 ML	250ml	Transparent	24	96	158.00
362	PSC500 ML	500ml	Transparent	12	48	267.50
363	PSC1L	1L	Transparent	6	24	460.50
364	PSC5L	5L	Transparent	-	6	1,853.00

PVC ELECTRICAL INSULATION TAPE

HSN : 85469090




SR. NO.	PRODUCT CODE	SIZE W(mm)xL(Mtr)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
365	PPIIT 18	18x6	30	540	14.00

✳ 20mm Knockout Available △ 32/38/40mm Knockout Available
 ✳ 20/25 Knockout Available ◇ 50mm Knockout Available

ALL WEATHER BOXES

Precision All Weather Boxes are manufactured from high quality impact resistant Engineering Thermoplastics (Polycarbonate / ABS). The material itself is self-extinguishing and our specially developed formulation gives it special ability to withstand high temperatures. The product passes stringent IP 67 standard requirements which makes it suitable to use indoor and outdoor in harsh environment. Our specially made design gives it highest level of safety from unwanted ingress of oil / water / any other solid waste.



Applications

Enclosure boxes for electrical installations. Suitable for Outdoor / Indoor environment.

Features

- IP 67 compliance, suitable for Outdoor Installations (CIPET tested)
- Specially formulated Engineering Thermoplastic (Polycarbonate / ABS) gives temperature protection ranging from $-400C$ to $+900C$
- Weatherproof, Dust proof and Impact resistant
- Transparent lids ensure enhanced visibility
- Innovative design makes compatible for various types of Switchgears / Electrical components
- Body part with adequate molded markings for easy cable entry location from all sides
- Various sizes available as per individual choice
- Screws supplied are made up of anti-rust SS / Engineering Plastic for corrosion free working and durability as well.



ALL WEATHER BOXES

IP67HSN : 85381010

GREY

ALL WEATHER BOXES OPAQUE LID (ABS)



Sr No.	Product Code	Size L x W x H (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
366	PAB 8383OL	83 X 83 X 65	21	190.00
367	PAB 8888OL	88 X 88 X 53	27	199.00
368	PAB 9898OL	98 X 98 X 61	24	220.00
369	PAB	100 X 100 X 65	21	221.00
370	100100OL	130 X 80 X 65	16	254.50
371	PAB 13080OL	130 X 130 X 80	16	377.00
372	PAB	139 X 119 X 70	10	213.50
373	130130OL	167 X 125 X 82	12	265.00
374	PAB	180 X 80 X 90	12	308.00
375	139119OL	180 X 130 X 75	16	418.50
376	PAB	180 X 130 X 100	12	423.00
377	167125OL	180 X 180 X 100	20	544.00
378	PAB 18080OL	200 X 160 X 98	8	417.50
379	PAB 1801OL	210 X 190 X 100	6	625.50
380	PAB 1802OL	270 X 80 X 90	12	378.00
381	PAB	280 X 190 X 130	4	775.00
382	180180OL	280 X 280 X 130	2	1,093.00
383	PAB	380 X 190 X 130	3	1,002.50
384	200160OL	380 x 280 x 130	2	1,424.00
385	PAB	560 X 380 X 180	2	3,317.00

- ⊗ With Knockout
- 210190OL
- PAB 27080OL
- PAB
- 280190OL
- PAB
- 280280OL
- PAB
- 380190OL
- PAB

ALL WEATHER BOXES TRANSPARENT LID (ABS)



Sr No.	Product Code	Size L x W x H (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
38	PAB 18080TL	180 X 80 X 90	1	356.00
6	PAB 27080TL	270 X 80 X 90	2	443.50
38	PAB	180 X 130 X 100	1	431.50
7	180130TL	180 X 180 X 100	2	559.50
38	PAB	210 X 190 X 100	1	651.00
8	180180TL	280 X 190 X 130	2	843.50
38	PAB	280 X 280 X 130	2	1,145.00
9	210190TL	380 X 190 X 130	0	1,145.00
39	PAB	380 x 280 x 130	6	1,660.00
0	280190TL	560 X 380 X 180	4	3,782.00

- 39 PAB 2
- 1 280280TL 3
- 39 PAB 2
- 2 380190TL 2
- 39 PAB
- 3 380280TL
- 39 PAB
- 4 560280TL



G.I. & M.S. CONDUIT PIPES & FITTINGS

Precision G.I.&M.S. Conduit Pipes are manufactured from rigorously tested raw material, in accordance with IS 9537 Part – 2.

G.I. Conduit Pipes are coated at a hot dipped galvanising plant in which iron or steel is coated with a layer of zinc. This coating makes the conduit safe and durable for industrial installations, coastal line atmosphere & thermal power stations.

M.S. Conduit Pipes are treated and coated with paint.

Applications

Channelising electrical surface wiring and cable ducting.

Features



Anti - Rust Coat



Good Finish



Easy to cut



High resistance to Corrosion



DIMENSIONS OF G.I. & M.S. CONDUIT PIPES

NORMAL SIZE	OUTSIDE DIAMETER	TOLERANCE OD	WALL THICKNESS	WALL THICKNESS TOLERANCE
MM	MM	MM	MM	MM
20	20	0 -0.3	1.60	±0.2
25	25	0 -0.4	1.60	±0.2
32	32	0 -0.4	1.60	±0.2
40	40	0 -0.4	2.00	+0.2 -0.4
50	50	0 -0.5	2.00	+0.2 -0.4



G.I. & M.S. CONDUIT PIPES

HSN : 73069090



COLOUR : SILVER

G.I. CONDUIT PIPES

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Pc./Mtr	Mtr./Bdl.	
396	PGIC 20	20	26 x 3m	78	231.00
397	PGIC 25	25	21 x 3m	63	280.00
398	PGIC 32	32	16 x 3m	48	420.00
399	PGIC 40	40	10 x 3m	30	665.00
400	PGIC 50	50	5 x 3m	15	755.00



COLOUR : BLCK

M.S. CONDUIT PIPES

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Pc./Mtr	Mtr./Bdl.	
401	PMSC 20	20	26 x 3m	78	145.00
402	PMSC 25	25	21 x 3m	63	185.00
403	PMSC 32	32	16 x 3m	48	260.00
404	PMSC 40	40	10 x 3m	30	435.00
405	PMSC 50	50	5 x 3m	15	570.00

G.I. & M.S. CONDUIT PIPE FITTINGS

HSN : 73269099



CIRCULAR BOX WITH LID AND SCREW

TERMINAL -1 WAY (SCREW TYPE)

G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
406	PGIB 251	25	20	200	76.00

TERMINAL -1 WAY (SCREW TYPE)

M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
407	PMSB 201	20	20	200	51.00
408	PMSB 251	25	20	200	57.00

G.I. & M.S. CONDUIT PIPE FITTINGS

HSN : 73269099



CIRCULAR BOX WITH LID AND SCREW

THROUGH - 2WAY(SCREWTYPE) G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
409	PGIB 252S	25	20	200	79.00

INTERSECTION - 4 WAY (SCREW TYPE)



M.S. CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
416	PMSB 204	20	20	200	62.00
417	PMSB 254	25	20	200	68.00

THROUGH - 2WAY(SCREWTYPE) M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
410	PMSB 202S	20	20	200	62.00
411	PMSB 252S	25	20	200	59.00

THREAD TYPE G.I. INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
418	PGI 25IBT	25	20	200	80.00

TEE - 3WAY(SCREWTYPE) G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
412	PGIB 253	20	20	200	83.50

THREAD TYPE M.S. INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
419	PMS 20IBT	20	20	200	59.00
420	PMS 25IBT	25	20	200	60.50

TEE - 3WAY(SCREWTYPE) M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
413	PMSB 203	20	20	200	62.00
414	PMSB 253	25	20	200	68.00

INTERNAL THREAD M.S.NORMAL BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
421	PMS 25NBIT	25	12	144	103.00

INTERSECTION - 4 WAY (SCREW TYPE)



G.I. CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
415	PGIB 254	25	20	200	87.50



uPVC MINI / MAXI TRUNKING PROFILE & FITTINGS

Precision uPVC Mini/Maxi Trunking Profile and Fittings are manufactured from high impact unplasticised polyvinyl chloride (uPVC) grade material capable of withstanding the most hazardous conditions on-site and exceeds the most stringent requirements of Indian and International standards. The product range brings a whole new world of sophistication and convenience to home, office and commercial establishments and is in accordance with Indian Standard IS 14927 - Part 2 and BS EN 50085 -2-1.

Precision uPVC Maxi Trunking Profile Cable Management System is designed for convenience and safety with compartments for separate wiring applications. Maxi Trunking Profile Fittings are available in moulded and fabricated form, thus adding a sleek touch to your interiors.

Applications


To organize and protect cables on surface.



Easy and quick installation



Secure & Elegant look



Various sizes available



Durable & Impact Resistant



Fire retardant



Thermal resistant (-5o C to +60o C)



QUALITY IS OUR PRIORITY



AL ARSH ELECTRICALS TRADING LLC

“Innovative Electrical Solutions
for Every Need.

Your Trusted Partner in Electrical Excellence.
Delivering Premium Products with Reliability and Innovation.
Serving the UAE with Unmatched Quality and Service.

Company Address

UAE

 (06) 123-456-7890

More Info:

info@alarshelectricals.com



Visit our website:

 www.alarshelectricals.com

Username: [@al_arsh_electricals](https://www.instagram.com/al_arsh_electricals)



Office / Store: Industrial Area-11 Al Jabri Building , Sharjah, UAE

Branch: Plot # 76, W.H. No. 4 Mussafah 13, Abu Dhabi, UAE