

العرش لتجارة الكهرباءيات ذ.م.م.
AL ARSH ELECTRICALS TR. LLC

MANUFACTURER & SUPPLIES



PRODUCT CATALOGUE

*"Innovative Electrical Solutions for
Every Need"*



AM13
Born to Dominate

ARSH POWER

**ARSH
FLEX**

PRECISION
Pipes & Fittings



www.alarshelctricals.com



العرش لتجارة الكهرباءيات ذ.م.م.

AL ARSH ELECTRICALS TR. LLC.

MANUFACTURER & SUPPLIES

ABOUT US

Empowering Growth Through Innovative Electrical Products

At Al-Arsh Electricals, we believe in blending creativity with technology to deliver solutions that truly make a difference. What started as a simple idea has grown into a passionate team dedicated to helping businesses, creators, and individuals unlock their full potential through innovative design and digital solutions.

Our Mission

To empower businesses and individuals with solutions that are simple, impactful, and future-focused.

Our Vision

To become a trusted global partner in creativity and innovation, while keeping people and purpose at the heart of everything we do.



+97168052756



Info@alarselectricals.com



www.alarselectricals.com



INDEX

AM3 CERTIFICATE4
AM35-42
ARSH FLEX43-45
ARSH POWER46-57
PRECISION58-60



Trade Marks Department

إدارة العلامات التجارية

شهادة تسجيل علامة تجارية

عملاً بأحكام المادة 17 من مرسوم اتحادي رقم (36) لسنة 2021، بشأن العلامات التجارية تشهد وزارة الاقتصاد والسياحة أن العلامة التجارية التي سبق تقديم طلب تسجيلها تحت رقم: 455416 بتاريخ: 2025/07/14

من قبل: العرش لتجارة الكهربياتيات ذ.م.م
الموطن:

مبنى الجابري، مستودع رقم 6، المنطقة الصناعية 11، الشارقة، الإمارات العربية المتحدة، هاتف:
971561335853

إيميل: arshelectricals2020@gmail.com

صورة العلامة



اسم العلامة: AMS

رقم الفئة: 11 (بيان المنتجات موضح خلف الصفحة)

بيانات الأولوية: رقم طلب الأولوية: تاريخ الطلب: الجنسية:

قد تم تسجيلها بتاريخ: 2025/09/17

وسيحظل التسجيل نافذ المفعول لمدة 10 عشر سنوات اعتباراً من 2025/07/14 وينتهي في: 2035/07/14 ويجوز تجديد الحماية وفقاً لأحكام المادة 21 من مرسوم اتحادي رقم (36) لسنة 2021 بشأن العلامات التجارية لمدد متتالية أخرى كل منها عشر سنوات.
الإشتراطات:

بيان المنتجات الخاص بالعلامة المودعة تحت رقم 455416

الفئة: 11 - أجهزة للإضاءة والتدفئة وتوليد البخار والطهو والتبريد والتجفيف والتهووية وإمداد المياه والأغراض الصحية.



تحريراً في: 2025/09/17



Powered by UAE PASS

تحريراً في: 2025/09/17





QUALITY IS OUR PRIORITY

PANEL INDICATOR LAMP

- AM3 -22DS 12V AC/DC R,Y,B,G
- AM3 -22DS 24V AC /DC R,Y,B,G
- AM3-22DS 220V AC/DC R,Y,B,G,W
- AM3 - 16DS 12V AC/DC R,Y,B,G
- AM3 -16DS 24V AC/DC R,Y,B,G
- AM3 -16DS 220V AQC/DC R,Y,B,G,



PANEL INDICATOR LAMP - INFUSE

- AM3 -22DS 220V AC/DC R Y B G W



PANEL INDICATOR LAMP 12-450V

- AM3 -22DS 12 -450V AC R Y B G W



PUSH BUTTON WITH NEON EB2M

- AM3 -MOMENTARY
- AM3 -LATCHING



PUSH BUTTON SWITCHES

- AM3 -BA31 GREEN
- AM3 -BA42 RED
- AM3 -BA61 BLUE
- AM3 - BA21 BLACK
- AM3 - BA3351 BLACK WITH ARROW



PANEL BUZZER WITH INDICATOR

- AM3 -22MSD 24V AC/DC
- AM3 -22MSD 220V AC/DC






QUALITY IS OUR PRIORITY

AXIAL FAN

- AM3-60X60X25
- AM3 -80X80X25
- AM3 - 92X92X25
- AM3 - 120X120X25
- AM3 - 120X120X38
- AM3 - 150X 150X51
- AM3 - 172X150X51
- AM3 - 200X200X60



ROCKER SWITCHES

- AM3 -201-01 WITH NEON (4)PIN RED, GREEN
- AM3 -202-01 WITH NEON (6)PIN RED ,GREEN
- AM3 -0111-21 WITH NEON (4)PIN RED, GREEN
- AM3 -201-01 WITHOUT NEON(4)PIN BLACK
- AM3 -203-01 WITHOUT NEON (6) PIN BLACK



ROCKER SWITCHES

- AM3-103-01 WITH OUT NEON (3)PIN BLACK
- AM3-101-01 WITH NEON (3)PIN RED ,GREEN
- AM3-101-05 WITH NEON (3)PIN RED, GREEN
- AM3-102-05 WITHOUT NEON(3)PIN BLACK



ROCKER SWITCHES

- AM3-101-05 WITH NEON (3)PIN RED, GREEN
- AM3-102-05 WITHOU22T NEON (3)PIN BLACK
- AM3-101N-9 (3)PIN 220V RED, GREEN
- AM3-101N-9 WITHOUT NEON(3)PIN 220V BLACK



AXIAL FAN FILTER

- AM3- 80X80
- AM3-92X92
- AM3-120X120
- AM3-150X150
- AM3-200X200
- AM3-92X92
- AM3-120X120
- AM3-150X150



GRILL FOR AXIAL FAN

- AM3-80X80
- AM3-92X92
- AM3-120X120
- AM3- 150X150
- AM3- 172X150
- AM3-200X200



QUALITY IS OUR PRIORITY

CONTACT ELEMENT

- AM3-BE101 NO GREEN
- AM3- BE102 NC RED



POWER SWITCH

- AM3-BS 211B
- AM3 - BS 216B
- AM3-BS230B



SELECTOR SWITCH

- AM3-BD21 ON OFF
- AM3-BD33 ON-OFF-ON
- AM3 -BD41 ON -OFF SPRING RETURN
- AM3 - BD53 ON-OFF-ON SPRING RETURN



PUSH BUTTON SWITCH WITH BOX

- AM3-B211H29-2 PUSH BUTTON
- AM3-B334-3 PUSH BUTTON



EMERGENCY PUSH BUTTON WITH BOX

- AM3-J174H29
- AM3-J188H29



EMERGENCY PUSH BUTTON

- AM3-BS542 40 MM DIA
- AM3-BS142 40MM DIA WITH KEY





QUALITY IS OUR PRIORITY

CONTROL BOX

- AM3 -BE01 YELLOW
- AM3 -BE02 WHITE
- AM3 -BE03 WHITE



CONTROL ELEMENT FOR EB2MT

- AM3 - NO GREEN
- AM3 - NC RED



UNDERVOLTAGE RELAY

- AM3-UVR-1PH
- AM3-UVR -3PH



WEATHERPROOF ISOLATION SWITCH

- AM3-LY-SS WATERPROOF ISOLATE SWITCH 13A 250 V



FIRE BELL

- AM3- 4"-100MM
- AM3-6"-150MM
- AM3-8"-200MM

220V 24V 12V



MINI SIREN

- AM3- MS-190
- AM3-MS-290
- AM3-MS-390

220V 110V 24V 12V



QUALITY IS OUR PRIORITY

SMOKE DETECTOR




ROTARY SWITCH - CA10

- ▶ ON-OFF - 2 POLE
- ▶ ON-OFF - 3 POLE
- ▶ ON-OFF-ON 3 POLE
- ▶ ON-OFF-ON 4 POLE



ROTARY SWITCH - D11

- ▶ 3 POLE
- ▶ 4 POLE



AMMETER & VOLT METER SWITCH

- ▶ AMMETER SWITCH LW-28 20A SMALL
- ▶ AMMETER SWITCH LW-28 20A BIG
- ▶ VOLT METER SWITCH LW-28 20A SMALL
- ▶ VOLT METER SWITCH LW-28 20A BIG



ISOLATESWITCH

- ▶ 16 A
- ▶ 20 A
- ▶ 25 A
- ▶ 32 A
- ▶ 40 A
- ▶ 63 A
- ▶ 80 A
- ▶ 100 A
- ▶ 125 A



CAM STARTER (METAL BODY)

- ▶ 15 A
- ▶ 30 A
- ▶ 63 A



QUALITY IS OUR PRIORITY

FOOT CONTROL PEDAL SWITCH

- AM3-101(PVC BODY WITH 1MTR CABLE)
- AM3-LT-4 (METAL BODY)
- AM3-SFM-20(DOUBLE TYPE)



TIMER SWITCH

- AM3-DIGITAL TIMER -AHC 15 A
- AM3-WEEKLY DIGITAL TIMER



TIMER SWITCH

- AM3-SUL -180B
- AM3-SUL -180A



TIMER SWITCH

- AM3-SUL -181H



TIMER SWITCH

- AM3-US -35B
- AM3-US -388-R



LIMIT SWITCHES



TOGGLE SWITCHES

- ▶ 1021 - ON-OFF - 2 POLE
- ▶ 1122 - ON-OFF-ON 3 POLE
- ▶ 1221 - ON-OFF 4 POLE
- ▶ 1322 - ON-OFF-ON 6 POLE
- ▶ 223-1 ON-OFF
4 POLE SPRING RETURN
- ▶ 223 ON-OFF-ON
6 POLE SPRING RETURN



FUSED PLUG TOP

- AM3 - 13 A PLUG TOP WHITE
- AM3 - 13 A PLUG TOP BLACK
- AM3 - 13 A PLUG TOP TRANSPARENT
- AM3 - 15 A PLUG TOP WHITE



EASY CONNECTORS

- AM3-LT-2
- AM3-LT-3



IRON PLUG CONNECTOR

AM3- IRON PLUG CONNECTORS 10-16A



QUALITY IS OUR PRIORITY

FLOOR SOCKET -ACCESSORIES

- AM3- BLANK PLATE
- AM3- 3 PIN UNIVERSAL SOCKET
- AM3 - 13 A UK SOCKET
- AM3 - CAT 6 SOCKET
- AM3 - DOUBLE USB SOCKET
- AM3 - 14 W C+ USB SOCKET
- AM3 I GANG SWITCH
- AM3 - HDMI
- AM3 - TV SOCKET



WEATHERPROOF SWITCHES

- AM3- 1G 1 WAY
- AM3 - 2G 1 WAY
- AM3 - 3G 1 WAY
- AM3- BELL PUSH
- AM3 - 13 A SOCKET WITH SWITCH
- AM3- 13 A DOUBLE SOCKET WITH SWITCH
- AM3 - 15 A SOCKET WITH SWITCH



WEATHERPROOF EMPTY BOX

- AM3- 1 GANG
- AM3 - 2 GANG



QUALITY IS OUR PRIORITY

FLOOR BOX & ACCESSORIES

- AM3- FLOOR BOX WITH 13A DOUBLE SWITCH SOCKET
- AM3- A DOUBLE SOCKET FOR FLOOR BOX
- AM3- DATA CAT6 SOCKET FLOOR BOX
- AM3- FLOOR BOX SOCKET PLATE
- AM3- FLOOR BOX DATA PLATE
- AM3- FLOOR BOX BLANK PLATE
- AM3- RJ45 FLOOR SHUTTER 45 DEGREE



FLOOR SOCKET


- AM3 - 13 A SINGLE WITH DATA- SILVER
- AM3 - DOUBLE WITH DATA- SILVER



QUALITY IS OUR PRIORITY


NYLON TERMINAL CONNECTOR-PE

- AM3- 4MM 3A
- AM3- 6MM 10A
- AM3- 10MM 15A
- AM3- 16MM 30A
- AM3- 25MM 60A
- AM3- 35MM 100A



NYLON TERMINAL CONNECTORS PP [WHITE]

- AM3-10MM 15A
- AM3-16MM 30A



CERAMIC WIRE CONNECTOR

- AM3-6MM 6A 2 POLE
- AM3-10MM 10A 2 POLE
- AM3-12MM 15A 2 POLE
- AM3- 16MM 30A 2 POLE
- AM3-6MM 6A 3 POLE
- AM3-10MM 10A 3 POLE
- AM3- 12MM 15A 3 POLE
- AM3-16MM 30A 3 POLE
- AM3- 25MM 60A 3 POLE
- AM3- 16MM 30A 4 POLE




EASY CONNECTORS

- AM3-PCT212
- AM3-PCT213
- AM3-PCT214
- AM3-PCT215




EASY CONNECTORS

- AM3-PCT211
- AM3-PCT222
- AM3-PCT223
- AM3-PCT224
- AM3-PCT225



EASY CONNECTORS

- AM3- LT-223-2
- AM3- LT-223-3
- AM3-LT-223-4
- AM3-LT-223-5
- AM3- LT-223-8
- AM3- LT-223-10
- AM3-LT-223-12



QUALITY IS OUR PRIORITY

EASY CONNECTORS

- AM3-LT-2
- AM3-LT-3



EASY CONNECTORS

- AM3-CH-2
- AM3-CH-3




EASY CONNECTORS

- AM3-LT-412
- AM3-LT-422
- AM3-LT-413




EASY CONNECTORS

- AM3-LT-422
- AM3-LT-623
- AM3-LT-633
- AM3-LT-933
- AM3-LT-2-8



EASY CONNECTORS

- AM3-DF-2604D-2 (ORANGE TYPE)
- AM3-DF-2604D-3 (ORANGE TYPE)
- AM3-DF-2604D-2 (COLOURFUL TYPE)
- AM3-DF-2604D-3 (COLOURFUL TYPE)




TERMINAL BLOCK

- AM3-UK 2.58 2.5 MM
- AM3-UK 5N 40 MM
- AM3-UK 6N 60 MM
- AM3-UK 10N 10 MM
- AM3-UK 16N 16 MM
- AM3-UK 25N 25 MM
- AM3-UK 35N 35 MM
- AM3-UK 50N 50 MM
- AM3-UK 70N 70 MM
- AM3-UK 95N 95 MM
- AM3-UK 150N 150 MM




TERMINAL BLOCK DOUBLE SIDE CLOSED

- AM3-DK 2.5 2.5 MM
- AM3-DK 4 4.0 MM
- AM3-DK 6 6.0 MM
- AM3-DK 10 10 MM
- AM3-DK 16 16 MM
- AM3-DK 25 25 MM
- AM3-DK 35 35 MM




TERMINAL BLOCK YELLOW GREEN DOUBLE SIDE CLOSED

- AM3-DK 2.5NE/D 2.5 MM
- AM3-DK 4NE/D 4.0MM
- AM3-DK 6NE/D 6.0 MM
- AM3-DK 10NE/D 10 MM
- AM3-DK 16NE/D 16 MM.



TERMINAL BLOCK YELLOW GREEN

- AM3-USLKG 2.5 2.5 MM
- AM3-USLKG 5 4.0 MM
- AM3-USLKG 6 6.0 MM
- AM3-USLKG 10 10 MM



TERMINAL BLOK FUSE TYPE

- AM3- 2.5 MM-4 MM



TERMINAL BLOCK DOUBLE DECK

- AM3-US-KK 2.5 MM
- AM3-US-KK 4.0 MM



END STOPPER


- AM3-END STOPPER E/UK
- AM3-END STOPPER E35



QUALITY IS OUR PRIORITY

END PLATE

- AM3-EP 2.5 2.5 MM
- AM3-EP 4/6 4.0 MM,6.0 MM
- AM3-D-UK 2.5
- AM3-AM3-D-UK 4/10
- AM3-D-UK 16



TERMINAL STRIP MARKER

- AM3-KLMK-A




TERMINAL BLOCK JUMPER

- AM3-FB1-10-6 (2.5 MM)
- AM3-FB1-10-8 (4 & 6 MM)



TERMINAL BLOCK MARKER

- AM3-ZB5
- AM3-ZB6
- AM3-ZB8
- AM3-ZB10



SINGLE BOLT CABLE CLEAT-LDPE

- AM3-SINGLE 01 (10.5-14.5)
- AM3-SINGLE 02 (12.2-16.7)
- AM3-SINGLE 03 (14.6-19.8)
- AM3-SINGLE 04 (17.7-24.0)
- AM3-SINGLE 05 (21.7-28.5)
- AM3-SINGLE 06 (26.2-24.2)
- AM3-SINGLE 07 (31.9-41.6)
- AM3-SINGLE 08 (39.3-51.1)



DOUBLE BOLT CABLE CLEAT NYLON

- AM3-DOUBLE 01 (50-58)
- AM3-DOUBLE 02 (56-64)
- AM3-DOUBLE 03 (62-70)
- AM3-DOUBLE 04 (68-76)
- AM3-DOUBLE 05 (74-82)
- AM3-DOUBLE 06 (80-88)
- AM3-DOUBLE 07 (86-94)



QUALITY IS OUR PRIORITY

WATERPROOF CONNECTORS

- AM3-CN 11-4
- AM3-CN 12-3
- AM3-CN 13-5
- AM3-T1-3
- AM3-T2-5



CABLE MARKER

- AM3-BM-0 0.5MM - 1.6 MM (0-9, A-Z)
- AM3-BM-1 2.6MM - 4.2 MM (0-9, A-Z)
- AM3-BM-2 3.6MM - 5.2 MM (0-9, A-Z)
- AM3-BM-3 5.0MM - 7.2 MM (0-9, A-Z)
- AM3-BM-5 7.2MM-10 MM (0-9, A-Z)
- AM3-BM-8 16MM (0-9, A-Z)
- AM3-GM-1 (0-9, A-Z)



CIRCULAR BOX COVER

- AM3-65 MM BLACK (20 MM)
- AM3-65 MM WHITE (20 MM)
- AM3-85 MM BLACK (25 MM)
- AM3-85 MM WHITE (25 MM)



PVC BOX COVER

- AM3-3X3 WHITE
- AM3-6X3 WHITE



FIRE CABLE CLIP

- AM3-AC 08 RED
- AM3-AC 08 WHITE
- AM3-AC 09 RED
- AM3-AC 09 WHITE



WIRE CLIP

- AM3-4 MM
- AM3-6 MM
- AM3-7 MM
- AM3-8 MM
- AM3-9 MM
- AM3-10 MM
- AM3-12 MM
- AM3-4 MM
- AM3-16 MM
- AM3-18 MM
- AM3-20 MM
- AM3-22 MM
- AM3-25 MM



QUALITY IS OUR PRIORITY


SPIRAL

- AM3-4MM 10MM 20MM
- AM3-6MM 12MM 25MM
- AM3-8MM 16MM 30MM



SS CABLE TIE COATED & UNCOATED

- AM3-100X4.0
- AM3-150X4.6
- AM3-200x46
- AM3-260X4.6
- AM3-300X4.6
- AM3-360X46
- AM3-400X46
- AM3-450x46
- AM3-500x4.5
- AM3-600x4.6
- AM3-700x46
- AM3-800X4.5



CABLE TIE

- AMAM3-100×2.5 370X48
- AM3-150X2.5 380X76
- AM3-150×3.6 400X48
- AM3-200×2.5 450X48
- AM3-200×3.6 450X76
- AM3-200×48 550X76
- AM3-250×36 600X90
- AM3-250x48 700X90
- AM3-300×3.6 800×90
- AM3-300×4.8 900X9.0
- AM3-00x76 1000X90
- AM3-70×3.6



MARKER STRIP

- MS-65
- MS-100
- MS-135



CABLE TIE MOUNT

- 20X20
- 25X25
- 28X38



PULLING SPRING HD (5.0 MM)

- 20 MTR
- 25 MTR
- 30 MTR
- 50 MTR



QUALITY IS OUR PRIORITY

DIE SET

- AM3-20-25 MM
- AM3-25-32 MM
- AM3-20-25-32 MM



BENDING SPRING STEEL GALVANIZED

- AM3-20 MM
- AM3-25 MM
- AM3-32 MM



FISHING TAPE

- AM3 -15 MTR
- AM3-30 MTR
- AM3-M3-60 MTR
- AM3-100 MTR



PULLING SPRING (3.2 MM)

- AM3-5MTR
- AM3-10 MTR
- AM3-15 MTR
- AM3-20 MTR
- AM3-25 MTR
- AM3-30 MTR



NYLON PULLING SPRING

- AM3-5MTR
- AM3-10 MTR
- AM3-15 MTR
- AM3- 20 MTR
- AM3-25 MTR
- AM3-30 MTR



RED/BLACK TWIST PULLER

- AM3-10 MTR
- AM3-20 MTR
- AM3-30 MTR
- AM3-40 MTR
- AM3-4-60 MTR
- AM3-100 MTR





QUALITY IS OUR PRIORITY

NYLON PG GLAND WITH WASHER

- AM3-PG-7
- AM3-PG-9
- AM3-PG-11
- AM3-PG-13.5
- AM3-PG-16
- AM3-PG-19
- AM3-4-PG-21
- AM3-PG-25
- AM3-PG-29
- AM3-PG-36
- AM3-PG-42
- AM3-PG-48
- AM3-PG-63



NYLON M GLAND WITH WASHER

- AM3-M-12
- AM3-M-16
- AM3-M-20
- AM3-M-25
- AM3-M-32
- AM3-M-40
- AM3-M-50



FIBER GLASS CABLE PULLER

- AM3-100MTR X 6MM
- AM3-150MTR X 8MM
- AM3-150 MTR X 11MM



INSULATED TERMINALS



INSULATED FORK TERMINAL

- AM3-SVS 1.25-3
- AM3-SVS 1.25-4
- AM3-SVS 1.25-5
- AM3-SVS 1.25-6
- AM3-SVS 1.25-8
- AM3-SVS2-3
- AM3-SVS2-4
- AM3-SVS2-5
- AM3-SVS2-6
- AM3-SVS2-8
- AM3-SVS 5.5-3
- AM3-SVS 5.5-4
- AM3-SVS 5.5-5
- AM3-SVS 5.5-6
- AM3-SVS 5.5-8



INSULATED RING TERMINAL

- AM3-RVS 1.25-3
- AM3-RVS 1.25-4
- AM3-RVS 1.25-5
- AM3-RVS 1.25-6
- AM3-RVS 1.25-8
- AM3-RVS 1.25-10
- AM3-RVS 2-3
- AM3-RVS 2-4
- AM3-RVS 2-5
- AM3-RVS 2-6
- AM3-RVS 2-8
- AM3-RVS 2-10
- AM3-RVS 5.5-3
- AM3-RVS 5.5-4
- AM3-RVS 5.5-5
- AM3-RVS 5.5-6
- AM3-RVS 5.5-8
- AM3-RVS 5.5-10



INSULATED PIN TERMINAL

- AM3-PTV 125-10
- AM3-PTV 2-10
- AM3-PTV 2-13
- AM3-PTV 55-13
- AM3-PTV 10-12



INSULATED FLAT TERMINAL

- AM3-DBV 125-18
- AM3-DBV 2-18
- AM3-DBV 55-18



QUALITY IS OUR PRIORITY

FULLY INSULATED FEMALE CONNECTOR

- AM3-FDFD 125-250
- AM3-FDFD 2-250
- AM3-FDFD-55-250



INSULATED FEMALE CONNECTOR

- AM3-FDD 125-187
- AM3-FDD 125-250
- AM3-FDD 2-187
- AM3-FDD 2-250
- AM3-FDD 5.5-375
- AM3-FDD 5.5-250
- AM3-FDD 2-250
- AM3-FDD 5.5-375
- AM3-FDD 5.5-250



INSULATED MALE CONNECTOR

- AM3-MOD 1.25-187
- AM3-MDD 125-250
- AM3-MDD 2-187
- AM3-MDD 2-250
- AM3-MOD 55-250



INSULATED BUTT CONNECTOR

- AM3-BV 125
- AM3-BV2
- AM3-BVSS
- AM3-BVB



FULLY INSULATED FLAG CONNECTOR

- AM3-FLONY 1.25-250
- AM3-FLDNY 2-250
- AM3-FLONY55-250



INSULATED BULLET MALE CONNECTOR

- AM3-MPD 125-156
- AM3-MPD 2-156
- AM3-MPD 5.5-195



FUSE HOLDER 10X38

- FUSE HOLDER 10X38 WITH LIGHT IP
- FUSE HOLDER 10X38 TP



CERAMIC FUSE 6X25

- 6X25 34
- 6X25 5A
- 6X25 10A
- 6X25 13A
- 6X25 15A



CYLINDRICAL FUSE 10X38

- AM3-10X38 1A
- AM3-10X38 2A
- AM3-10X38 5A
- AM3-10X38 4A
- AM3-10X38 6 A
- AM3-10X38 10A
- AM3-10X38 16A
- AM3-10X38 20A
- AM3-10X38 25A
- AM3-10X38 32A



TWIN CORD END TERMINAL

- AM3-TE0512
- AM3-TE7510
- AM3-TE1010
- AM3-TE1512
- AM3-TE2513
- AM3-TE4012
- AM3-TE6014
- AM3-TE1014
- AM3-TE1614



INSULATED CORD END TERMINAL

- AM3-E0508
- AM3-E6012
- AM3-E7508
- AM3-E1012
- AM3-E1008
- AM3-E1612
- AM3-E1508
- AM3-E2516
- AM3-E1508
- AM3-E5020
- AM3-E2508
- AM3-E3516
- AM3-E4009



GLASS FUSE

- 0.5A
- 1A
- 1.5A
- 2A
- 3A
- 4A
- 5A
- 6A
- 8A
- 10A
- 13A
- 15A
- 20A
- 25A
- 30A


5X20 6X30



QUALITY IS OUR PRIORITY

NEUTRAL LINK WITH BASE

- AM3-7 WAY
- AM3-10 WAY
- AM3-13 WAY



EARTH BAR

- AM3-1/2 MTR (72 WAY)
- AM3-1 MTR (144 WAY)




NEUTRAL LINK EXTENDER

- AM3-1WAY
- AM3-2 WAY




COPPER BUSBAR - PIN TYPE

- AM3-1P
- AM3-2P
- AM3-3P
- AM3-4P



COPPER BUSBAR-U TYPE

- AM3-1P
- AM3-2P
- AM3-3P
- AM3-4P




BUSBAR END CAP

- AM3-2P
- AM3-3P
- AM3-4P



DIN RAIL

- AM3-DIN RAIL 35 MM-2MTR
- AM3-DIN RAIL 35 MM-1MTR




BUS BAR INSULATOR

- SM-25X6
- SM-51X8
- SM-30X6
- SM-51X10
- SM-30x8
- SM-60X10
- SM-40X8
- SM-76×10
- SM-40X10



DB BLANK PLATE

- AM3-12 WAY



EARTH STRIP

- AM3-EARTH STRIP 6MM X 100 MM
- AM3-EARTH STRIP 6MM X 150 MM
- AM3- EARTH STRIP 6MM X 200 MM



BIMETALIC CABLE LUGS DTL-2

- DTL-2 16-10
- DTL-2 25-8
- DTL-2 25-10
- DTL-2 35-8
- DTL-2 35-10
- DTL-2 50-8
- DTL-2 50-12
- DTL-2 70-8
- DTL-2 70-12
- DTL-2 95-8
- DTL-2 95-12
- DTL-2 120-12
- DTL-2 150-12
- DTL-2 185-12
- DTL-2 240-12
- DTL-2 300-12
- DTL-2 630-16



BRASS MALE BUSH

- AM3-20 MM SHORT
- AM3-20 MM LONG
- AM3-25 MM SHORT
- AM3-25 MM LONG
- AM3-32 MM SHORT
- AM3-32 MM LONG



QUALITY IS OUR PRIORITY

COPPER BUSH

- AM3-MEXT5MM
- AM3-M6X20MM
- AM3-M8X15MM
- AM3-M8X20MM



GI FLEXIBLE ADAPTOR

- AM3-20 MM
- AM3-25 MM
- AM3-32 MM



RUBBER GROMMET

- AM3-20 MM
- AM3-25 MM
- AM3-32 MM
- AM3-38 MM
- AM3-50 MM



RUBBER GROMMET (OPEN TYPE)

- AM3-20MM (3/4")
- AM3- 25MM (1")



EDGE PROTECTOR-25 MTR ROLL

- AM3-15 MM WITH STEEL
- AM3-17 MM WITH STEEL
- AM3-20 MM WITH STEEL
- AM3-25 MM WITH STEEL
- AM3-30 MM WITH STEEL
- AM3-35 MM WITH STEEL



GI FLEXIBLE CONDUIT PVC COATED INDIA-AM3

- AM3-20 MM
- AM3-25 MM
- AM3-32 MM
- AM3- 40 MM
- AM3- 50 MM



QUALITY IS OUR PRIORITY

BRASS REDUCER

- 25-20 40-32
- 32-20 50-25
- 32-25 50-32
- 40-20 50-40
- 40-25 63-40



BRASS LOCKNUT NICKLE PLATED

- 20 MM
- 25 MM



CORRUGATED FLEXIBLE PIPE-PE

- AM3--714.5 X7MM) 200 MTR
- AM3--7145 X7 MMO 100 MTR
- AM3--10 (7X10 MMI 100 MTR
- AM3-13(10X13 MM) 100 MTR
- AM3-158(12X15.8 MM) 100 MTR
- AM3-185/14.3X18.5 MM 100 MTR



GI FLEXIBLE CONDUIT WITHOUT PVC COATED-AM3

- AM3-20 MM
- AM3- 25 MM



HIGH VOLTAGE SELF FUSING RUBBER TAP

- AM3-19 MM 5 YARD BLACK



HEAT SHRINKABLE SLEEVE

- 3 MM
- 4 MM
- 5 MM
- 6 MM
- 8 MM
- 10 MM
- 12 MM
- 16 MM
- 20 MM
- 25 MM
- 30 MM
- 35 MM
- 40 MM
- 50 MM





NETWORKING ACCESSORIES

QUALITY IS OUR PRIORITY

KEYSTONE JACK

- AM3-180 DEGREE
- AM3-90 DEGREE



FACE PLATE

- AM3-1 PORT
- AM3-2 PORT



DATA FACE PLATE

- AM3-45X45 TPORT
- AM3-45X45 2PORT




PATCH PANEL

- AM3-PATCH PANEL 12 PORT LOADED
- AM3-PATCH PANEL 24 PORT LOADED
- AM3-PATCH PANEL 24 PORT BLANK



RJ45 BOOT

- AM3-BOOT GREY
- AM3-BOOT BLUE



RJ45 COUPLER

- R345 UTP COUPLER 1-1
- R345 UTP COUPLER 1-2
- RJ45 FTP COUPLER 1-1
- RJ45 FTP COUPLER 1-2



QUALITY IS OUR PRIORITY

CAT6 UTP PATCH CORD

- 0.5 MTR
- 1MTR
- 2 MTR
- 3 MTR
- 5 MTR
- 10 MTR
- 15 MTR
- 20 MTR
- 25 MTR
- 30 MTR
- 40 MTR
- 50 MTR



FIBER OPTICAL CABLE

- 2 CORE INDOOR-1000 MTR
- 2 CORE OUTDOOR-1000 MTR
- 4 CORE INDOOR-1000 MTR



FAN CAPACITOR-WIRE TYPE

- 0.6 MFD
- 1 MFD
- 1.5 MFD
- 2 MFD
- 2.5 MFD
- 3 MFD
- 3.5 MFD
- 4 MFD
- 4.5 MFD
- 5 MFD
- 6 MFD
- 8 MFD
- 10 MFD



RUNNING CAPACITOR-PIN TYPE

- 2.5 MFD
- 3 MFD
- 3.5 MFD
- 4 MFD
- 5 MFD
- 6 MFD
- 7.5 MFD
- 8 MFD
- 10 MFD
- 12 MFD
- 15 MFD
- 16 MFD
- 18 MFD
- 20 MFD
- 25 MFD
- 30 MFD
- 35 MFD
- 40 MFD
- 45 MFD
- 50 MFD
- 55 MFD
- 60 MFD
- 65 MFD
- 70 MFD
- 80 MFD



RUNNING CAPACITOR-WIRE TYPE

- 2.5 MFD
- 3 MFD
- 3.5 MFD
- 4 MFD
- 5 MFD
- 6 MFD
- 7.5 MFD
- 8 MFD
- 10 MFD
- 12 MFD
- 15 MFD
- 16 MFD
- 18 MFD
- 20 MFD
- 25 MFD
- 30 MFD
- 35 MFD
- 40 MFD
- 45 MFD
- 50 MFD
- 55 MFD
- 60 MFD
- 65 MFD
- 70 MFD
- 80 MFD



FAN CAPACITOR-PIN TYPE

- 1 MFD
- 1.5 MFD
- 2 MFD
- 2.5 MFD
- 3 MFD
- 3.5 MFD
- > 4 MFD
- 4.5 MFD
- 5 MFD
- > 6 MFD
- 8 MFD
- 10 MFD



QUALITY IS OUR PRIORITY

STARTING CAPACITOR WIRE TYPE

- 100 UF
- 150 UF
- 200 UF
- 250 UF
- 300 UF
- 350 UF
- 400 UF
- 450 UF
- 500 UF



AC CAPACITOR 4+4 PIN

- 20 MFD
- 25 MFD
- 30 MFD
- 35 MFD
- 40 MFD
- 45 MFD
- 50 MFD
- 55 MFD
- 60 MFD
- 65 MFD
- 70 MFD
- 80 MFD



AC CAPACITOR 4+4+4

- 30+5 MFD
- 35+5 MFD
- 40+5 MFD
- 45+5 MFD
- 50+5 MFD
- 55+5 MFD
- 60+5 MFD
- 65+5 MFD



AC CAPACITOR SMALL 4+4

- 5 MFD
- 6 MFD
- 8 MFD
- 10 MFD
- 12 MFD
- 15 MFD



STARTING CAPACITOR PIN TYPE

- 100 UF
- 150 UF
- 200 UF
- 250 UF
- 300 UF
- 350 UF
- 400 UF
- 450 UF
- 500 UF



QUALITY IS OUR PRIORITY

INDUSTRIAL SOCKET

- 16A 3 PIN 220V-2132
- 16A 4 PIN 415V-2142-
- 16A 5 PIN 415V-2152
- 32A 3 PIN 220V-2232
- 32A 4 PIN 415V-2242-
- 32A 5 PIN 415V-2252
- 63A5 PIN 415V-2352



INDUSTRIAL WALL SOCKET-IP67

- 16A 3 PIN 220V-1132
- 32A 3 PIN 220V-1232
- 32A 5 PIN 415V-1252



INDUSTRIAL PLUG

- 16A 3 PIN 110V-013-4
- 16A 3 PIN 220V-013
- 16A 4 PIN 415V-014
- 5 16A SPIN 415V-015
- 32A 3 PIN 220V-023
- 32A & PIN 415V-024
- 32A 5 PIN 415V-025
- 63A 3P PIN 220V-033
- 63A 4 PIN 415V-034
- 63A 5 PIN 415V-035
- 125A 4 PIN 415V-442
- 125A 5 PIN 415V-452



PANEL SOCKET-STRIGHT

- 16A SPIN 220V-613
- 32A 3 PIN 220V-623
- 32A 5 PIN 415V-625



PANEL PLUG-STRIGHT

- 16A 3PIN 220V-313
- 16A SPIN 220V-613
- 32A 3 PIN 220V-623
- 32A 5 PIN 415V-625
- 32A 3 PIN 220V-323
- 32A 5 PIN 415V-325



INDUSTRIAL WALL SOCKET

- 16A 3 PIN 220V-113
- 16A 5 PIN 415V-115
- 16A 4 PIN 415 -114
- 32A 3 PIN 220V-123
- 32A 4 PIN 415V-124
- 32A 5 PIN 415V-125
- 63A 3 PIN 220V-133



QUALITY IS OUR PRIORITY

GI SWITCH BOXES

- 3X3X35
- 3X3X47
- 3X3X47
- 6X3X35



PVC BAX BOX

- 3X3-45 MM DEPTH



WEATHERPROOF JUNCTION BOX

- 80X80X40
- 100X100X50
- 100X100X100
- 120X80X50
- 150X110X70
- 150X150X70
- 150X150X100
- 190X140X70
- 240X190X90
- 240X190X125
- 300X220X120
- 300X220X170
- 380X300X120
- 460X380X130



WEATHERPROOF JUNCTION BOX WITH SLEEVE

- 80X40
- 80X80X40
- 100X100X50
- 150X110X70
- 150X150X70
- 150X150X100
- 190X140X70
- 240X190X90
- 300X220X120



GAGT SERIES W/P TRANSPARENT JUNCTION BOX

- 100X100X75
- 125x125x100
- 180X80X70
- 170X140X100
- 175X125X75
- 175X175X100
- 200X150X100
- 200X200X130
- 200X200X100
- 250X80X85
- 250X150X100
- 280X190X130
- 280X280X130
- 380X280x130



IK08 SERIES W/P JUNCTION BOX

- 250X80X85
- 250X150X100
- 280X190X130
- 280X280X130
- 380X280X130



QUALITY IS OUR PRIORITY

INDUSTRIAL MULTI SOCKET

- 16A 3 PIN 2 WAY-1012
- 16A 3 PIN 3 WAY-1013
- 32A 3 PIN 3 WAY-1023
- 32A 4 PIN 3 WAY-1024
- 32A 5 PIN 3 WAY-1025





TOOLS

QUALITY IS OUR PRIORITY

CRIMPING TOOL

- AM3-30J (1-6 MM²)



CRIMPING TOOL

- AM3-03 C (0.5-6 MM²)



CRIMPING TOOL

- AM3-06 WF (0.25-6.0MM²)



CRIMPING TOOL

- AM3-10 WF (0.5-10MM²)




CRIMPING TOOL

- AM3-16 WF (4-18MM²)



CRIMPING TOOL

- AM3-35WF (10-35MM²)



QUALITY IS OUR PRIORITY

CRIMPING TOOL

- AM3-C8-6-4 (0.25-10MM²)



CRIMPING TOOL

- AM3-CB6-6(0.25-10MM²)



CRIMPING TOOL

- AM3-CB-16-4 (0.25-16MM²)



CRIMPING TOOL

- AM3-08 16-6(0.25-16MM²)



CRIMPING TOOL

- AM3-10 (1.5-6 MM²)



CRIMPING TOOL

- AM3-6 (125-6MM²)



QUALITY IS OUR PRIORITY

WIRE STRIPPER

- 8LK-38



WIRE STRIPPER

- CABLE KNIFE US-52



NETWORKING TOOLS

- CABLE TESTER 85-468



NETWORKING TOOLS

- 4-IN-1 REMOTE TESTER



NETWORKING TOOLS

- PUNCHING TOOLS-9148



NETWORKING TOOLS

- PUNCHING TOOL-3141



QUALITY IS OUR PRIORITY

NETWORKING TOOLS

- AM3-500R (RJ-45, RJ-11)



NETWORKING TOOLS

- AM3-2008R (RJ-45, RJ-11)



NETWORKING TOOLS

- AM3-315 (RJ-10, RJ-11, RJ-45)



NETWORKING TOOLS

- AM3-7018 (CAT-5, CAT-6, CAT-7)



NETWORKING TOOLS

- AM3-EZ-378 (RJ45 PASS THROUGH CRIMPERS)



NETWORKING TOOLS

- AM3-319 M



HYDRAULIC CRIMPING TOOL

- AM3-70 (4-70 MMI)



HYDRAULIC CRIMPING TOOL

- AM3-120 (10-120 MM)



HYDRAULIC CRIMPING TOOL

- AM3-300 (16-300 MM)



CU/PVC FLEXIBLE CABLE H05VVF-F



300/500V, BS6500
Brand : ARSHFLEX



100YARD / ROLL



www.alarselectricals.com



+971561335853

AI ARSH ELECTRICALS TRADING L.L.C

GI FLEXIBLE CONDUIT PVC COATED



BRAND : ARSHFLEX

SIZE : 20MM / 25MM / 32MM / 50MM.



www.alarshelectricals.com



+971561335853

AI ARSH ELECTRICALS TRADING L.L.C

LED SPOT LIGHT



220-240V 50/60Hz

8W



www.alarshElectricals.com



+971561335853

ALARSH ELECTRICALS TRADING L.L.C

LED DOWN LIGHT



Color : Cool White 6500K,
Input : AC220-240V, 50/60Hz.



5Watt,



www.alarshelectricals.com



+971561335853

AI ARSH ELECTRICALS TRADING L.L.C

LOW VOLTAGE LED STRIP LIGHT



Model: 8320A
LED/WE320LED
Voltage: DC12V
Quantity: SM
Cri: 90

Color: 3000K
IP: 20
Lumen: 24-26
Date: 2022/12/25
gh briness




COB

LOW VOLTAGE
LIGHT STRIP

MR

Incens: (10f (cy))
Briess: (1.8m))
Sffature: (55m))
Sens: Sec
Sumbae: 1319%07.00(1)
And Ware: 14.018//3580



www.alarshelectricals.com



+971561335853

AI ARSH ELECTRICALS TRADING L.L.C

SPEAKER WIRE



Brand : ARSHPOWER

300/500V, BS6500



**2CX0.75MM TWIN SPEAKER WIRE
COLOR : RED & BLACK**

 www.alarshelectricals.com  +971561335853

AI ARSH ELECTRICALS TRADING L.L.C

LED FLOOD LIGHT



POWERBY : LRC



100 WATT / 200 WATT / 400 WATT

500 WATT / 1000 WATT



www.alarshelectricals.com



+971561335853

AI ARSH ELECTRICALS TRADING L.L.C

3 Compartment Floor Box.



BRAND : ARSHPOWER
GOOD QUALITY



www.alarselectricals.com



+971561335853

AI ARSH ELECTRICALS TRADING L.L.C

HAYASHI VENTILATING EXHAUST FAN.



(BACK SIDE AUTO SHUTTER METAL BODY) HEAVY
DUTY, 100% COOPER WINDING,



15HES-6" / 25HES-10"

 www.alarselectricals.com  +971561335853

AI ARSH ELECTRICALS TRADING L.L.C

AFN LED WALL LIGHT



OUTDOOR

9020-10W-BK-WW



www.alarshellectricals.com




+971561335853

AI ARSH ELECTRICALS TRADING L.L.C

VENTILATION EXHAUST FAN



TYPE: ROUND. SIZE: 6" INCH (20pc Box)
8" INCH (12pc Box)



BRAND: ARSHPOWER



www.alarshellectricals.com



+971561335853

AI ARSH ELECTRICALS TRADING L.L.C

ELECTRONIC TRANSFORMER



BRAND : VINTAGE
12V 50W

 www.alarshelectricals.com  **+971561335853**

AI ARSH ELECTRICALS TRADING L.L.C

GALVANISED STEEL CONDUIT



SIZE : 20mm / 25mm, LENGTH : 3.75 METER PER LENGTH.

BRAND :
ARSHPOWER



 www.alarshelectricals.com  **+971561335853**

AI ARSH ELECTRICALS TRADING L.L.C

CU/PVC/FLEXIBLE CABLE H05VV-F,



300/500V, BS6500,

Brand : ARSHPOWER



80YARD / ROLL



www.alarselectricals.com



+971561335853

AI ARSH ELECTRICALS TRADING L.L.C

MR.3[®] OUTDOOR LIGHT



Item No	MR2200-1 MR2100-1
Power	GU10*1
Colour	AB
Voltage	AC85-265V 50/60Hz



 www.alarshelectricals.com  +971561335853

AI ARSH ELECTRICALS TRADING L.L.C



PRECISION[®]

Pipes | Dosh ki Lifeline

PRECISION[®]

Pipes & Fittings

ELECTRICAL

PIPING SYSTEMS



Har Building ki
LIFELINE
Precision Pipeline

AI ARSH ELECTRICALS TRADING L.L.C



SLIP TYPE BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
276	PRBN 19	19	65	1040	7.75
277	PRBN 20	20	65	1040	8.25
278	PRBN 25	25	35	560	13.50
279	PRBN 32	32	20	320	36.00
280	PRBN 38	38	10	160	44.25
281	PRBN 40	40	10	160	73.00
282	PRBN 50	50	5	80	99.50
283	PRBN 63	63	-	50	145.50

FEMALE BUSH ADAPTOR



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
318	PFBA 19	19	100	2000	7.25
319	PFBA 20	20	100	2000	7.75
320	PFBA 25	25	100	2000	9.75
321	PFBA 32	32	75	1200	15.00
322	PFBA 38	38	50	800	20.25
323	PFBA 40	40	50	800	20.25
324	PFBA 50	50	25	400	34.25

SLIP TYPE LONG BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
284	PRBL 19	19	45	720	12.00
285	PRBL 20	20	45	720	12.50
286	PRBL 25	25	20	320	20.75
287	PRBL 32	32	10	160	50.00
288	PRBL 38	38	-	100	60.50
289	PRBL 40	40	-	80	98.00
290	PRBL 50	50	-	55	147.50

ROUND ELBOW



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
325	PRE 20	20	125	2500	7.25
326	PRE 25	25	75	1200	9.75
327	PRE 32	32	20	400	13.75
328	PRE 40	40	15	300	21.25
329	PRE 50	50	10	200	34.00

SPACE BAR SADDLE



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
291	PRBS 19	19	100	2000	6.75
292	PRBS 20	20	100	2000	7.25
293	PRBS 25	25	100	2000	8.75
294	PRBS 32	32	100	1600	15.00
295	PRBS 38	38	80	1280	16.50
296	PRBS 40	40	80	1280	16.75
297	PRBS 50	50	60	960	20.00
298	PRBS 63	63	-	50	26.25

(BLACK)

FAN BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
353	PRFB20	20 Standard	10	220	49.50
354	PRFB25	25 Standard	10	220	49.50
355	PRFB20SL	20 Large	10	140	67.00
356	PRFB25SL	25 Large	10	140	67.00
357	PRFBRD2025	20/25 with Rod	1	28	202.00
358	PRFBRD25	25 with Rod	1	28	202.00

SADDLE STRAP



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
299	PRSS 19	19	100	2000	4.00
300	PRSS 20	20	100	2000	4.25
301	PRSS 25	25	100	2000	5.75
302	PRSS 32	32	100	1600	6.75
303	PRSS 38	38	80	1280	8.25
304	PRSS 40	40	80	1280	8.75
305	PRSS 50	50	60	960	11.75





ROUND TEE



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
330	PRT 20	20	50	1500	12.00
331	PRT 25	25	50	800	14.75
332	PRT 32	32	15	300	17.00
333	PRT 40	40	10	200	25.25
334	PRT 50	50	10	160	40.00

INSPECTION ELBOW



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
335	PIE 20	20	20	600	31.00
336	PIE 25	25	20	400	38.50

INSPECTION TEE



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
337	PIT 20	20	20	600	30.50
338	PIT 25	25	20	400	45.50

INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
339	PIB 20	20	20	600	30.75
340	PIB 25	25	20	400	45.25

ADAPTABLE BOX WITH LID



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
341	PAB 75L	3" x 3" x 2" 75x75x50	10	200	66.50
342	PAB 110L	4" x 4" x 3" 110x110x75	-	100	131.00
343	PAB 160L	6" x 4" x 3" 160x110x75	-	75	264.50
344	PAB 160SL	6" x 6" x 3" 160x160x75	-	50	288.50
345	PAB 225SL	9" x 9" x 3"	-	20	624.50

(WHITE) SWITCH BOX LID



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
349	PSBL1 LID	3" x 3"	40	1200	18.00
350	PSBL2 LID	6" x 3"	25	750	24.25

(SWITCH BOX) FLUSH MOUNTED



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
351	PFSB1	3" x 3" x 2"	10	200	47.00
352	PFSB2	6" x 3" x 2"	10	160	63.00

ROUND 'U' CLIP



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
308	PRUC 20	20	200	4000	7.50
309	PRUC 25	25	100	3000	11.75

MALE BUSH ADAPTOR



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
315	PMBA 19	19	100	2000	7.25
316	PMBA 20	20	100	2000	7.75
317	PMBA 25	25	100	2000	9.25



QUALITY IS OUR PRIORITY



AL ARSH ELECTRICALS TRADING LLC

“Innovative Electrical Solutions
for Every Need.

Your Trusted Partner in Electrical Excellence.
Delivering Premium Products with Reliability and Innovation.
Serving the UAE with Unmatched Quality and Service.

Company Address

UAE

+971 561335853

More Info:

info@alarshelectricals.com



Visit our website:

www.alarshelectricals.com

Username: @al_arsh_electricals



Office / Store: Industrial Area-11 Al Jabri Building , Sharjah, UAE
Branch: Plot # 76, W.H. No. 4 Mussafah 13, Abu Dhabi, UAE